



Photo 1. Dystrophic lakes in the Flow Country, northern Scotland; example of Group A (photograph from Steve Moore, Scottish Natural Heritage).



Photo 2. Oak Mere, Cheshire, England; example of Group B (photograph from Chris Walker, English Nature).



Photo 3. Llyn Llgi, Snowdonia, Wales; example of Group C1 (photograph from Catherine Duigan, Countryside Council for Wales).



Photo 4. Loch an Eilein near Aviemore, Scotland; example of Group C2 (photograph from Lorne Gill, Scottish Natural Heritage).



Photo 5. Bassenthwaite Lake in the Lake District, England; example of Group D (photograph from Peter Wakely, English Nature).



Photo 6. Loch of Hundland, mainland Orkney, Scotland; example of Group E (photograph from SNH Orkney Office, Scottish Natural Heritage).



Photo 7. Slapton Ley, Devon, England; example of Group F (photograph from Peter Wakely, English Nature).



Photo 8. The Mere, Ellesmere, Shropshire, England; example of Group G (photograph from Peter Wakely, English Nature).



Photo 9. Mill Loch, Eday, Orkney, Scotland; example of Group H (photograph from SNH Orkney Office, Scottish Natural Heritage).



Photo 10. Malham Tarn, north Yorkshire, England; example of Group I (photograph from George Hinton, English Nature).



Photo 11. Loch of the Stack, Westray, Orkney, Scotland; example of Group J (photograph from SNH Orkney Office, Scottish Natural Heritage).