



UK priority species pages – Version 2

To find out more about the JNCC priority species pages visit <http://www.jncc.gov.uk/page-5161>

To find out more about JNCC visit <http://www.jncc.gov.uk/page-1729>

SPECIES PAGES FOR 2007 UK BAP PRIORITY SPECIES

(see endnotes for an explanation of the various components of this compilation).

Ozyptila nigrita (Thorell, 1875)

Southern Crablet

1 General information

Level 1	Terrestrial invertebrates
Level 2	spider
On 1997 UK BAP list	

2 UK BAP criteriaⁱ

1. International threat	2. International responsibility (2a) + moderate decline in UK (2b)	3. Marked decline in the UK	4. Other important factor(s)
False	False	True	False

3 Evidence for Criteriaⁱⁱ

Criterion 1	
Criterion 2a	
Criterion 2b	
Criterion 3	66% decline over 25 years, 1951-1986 and 1987-2000
Criterion 4	

4 Distribution by Country

England	Scotland	Wales	Northern Ireland	International Waters
Y		N		

5 Distribution Information

Distribution data source	Stage 1 information
Distribution data notes	
number of sites (where less than or equal to 10)	
Units used for number of sites	

6 Actions identified by expertsⁱⁱⁱ

Action number	Action text	Reporting category
1	Survey is needed to find any new sites, monitoring is needed to understand the status of the species at existing sites. These data are needed to allow reporting against success criteria.	Species-specific monitoring/survey
2	Research is required to find a non-destructive method for survey and monitoring as hand-searching is rarely successful for this species.	Species-specific research
3	Wider countryside measures to maintain functional calcareous grassland habitat will benefit this species. The spider occurs mainly on short calcareous chalk and limestone grassland, often in stony areas, and especially near the coast. It is also occasionally found on sand dunes.	Wider "landscape" action
4	This species could be part of two HAPs: calcareous grassland and coastal dunes	Priority habitat action

7 Signpost to Priority Habitat^{iv}

Priority Habitat Name
Calcareous Grassland : Lowland Calcareous Grassland
Supralittoral Sediment : Coastal Sand Dunes

8 Additional information from specialists^v

Attribute	Value
NBN current scientific name	<i>Ozyptila nigrita</i>
NBN common name	Southern Crablet
classification level 1	Terrestrial invertebrates
classification level 2	spider
Crit 1 Global threat	N/A
Crit 1 European threat	Low?
Crit 1 Supporting info	The proportion of countries in Europe from which a species had been recorded as a proxy for the threat criterion. For the purpose of this exercise, species which were found in 8 or fewer countries out of 20 considered were considered as potentially threatened. A few additional species were included here where members of the sub-committee felt there was other evidence for decline within Europe as a whole.
Crit 2 % of global pop	N/A
Crit 2 % of European popn	8%
Crit 2 % of int population Supporting info	The species has been recorded from 13 out of

	20 countries in Europe. Consult spreadsheet to see which other countries this species occurs in.
Crit 2 Decline %	66
Crit 2 Decline no of years	25
Crit 2 Decline dates	1951-1986 and 1987-2000
Crit 2 declines supporting info	The method of estimating decline is explained under Criterion 3.
Crit 3 Decline %	66
Crit 3 Decline no of years	25
Crit 3 Decline dates	1951-1986 and 1987-2000
Crit 3 supporting info	Decline was measured between two time periods, 1951-1986 and 1987-2000. These two survey periods were chosen on the basis that 1951-1986 represents the first major modern survey of spiders resulting from the publication in 1951 of <i>British Spiders</i> by Locket & Millidge and 1987-2000 is the second major survey of spiders resulting from the instigation of the Spider Recording Scheme and the publication of the provisional national atlas. The second survey period was much more intensive than the first, despite its shorter time period. In order to take account of this, species were compared for 10km squares with a minimum of 100 records in both survey periods. There was a clear proportional relationship between these results enabling predictions to be made of the expected numbers of 10km squares for each species resulting from the increased effort of the second survey period.
Crit 4 other important factors	
Sources	BAS – SRS recording scheme Provisional Atlas of spiders (Arachnida, Araneae) 2 vols. P. Harvey, Nellist, D.R. & Telfer, M.G.
Quality	Good recent data has been, and continues to be, collected via the SRS.

10 Species designations^{vi}

Abbreviation	Reporting Category	Designation	Designation description	Year	Source	Comment
England NERC S.41	Biodiversity Lists - England	England NERC S.41	Species “of principal importance for the purpose of conserving biodiversity” covered under section 41 (England) of the NERC Act (2006) and therefore need to be taken into consideration by a public body when performing any of its functions with a view to conserving biodiversity.	2008	Natural Environment and Rural Communities Act 2006 - Species of Principal Importance in England (section 41) and Wales (section 42)	Geographic constraint=Listing is for England only
BAP:2007	Biodiversity Action Plan UK list of priority species	Priority Species	The UK List of Priority Species and Habitats contains 1150 species and 65 habitats that have been listed as priorities for conservation action under the UK Biodiversity Action Plan (UK BAP).	2007	UK list of Priority Habitats and Species	not on former UK BAP list

UK BAP 2008 reporting^{vii}

(nb this only applies to species on the original 1997 UK BAP priority species list)

ENDNOTES

ⁱ An explanation of these criteria is included at Annex 3 of [UK Biodiversity Action Plan: Report on the Species and Habitat Review](#). BRIG (ed. Ant Maddock) 2007. This review was organised in two stages. Stage 1 looked at the scientific evidence for selecting the UK List of Priority Species and Habitats while stage 2 considered the conservation action needed for these species and habitats and provided signposts to the means of implementing action.

ⁱⁱ The information on evidence and the species distribution is as presented on the UK BAP website. Users can download a spreadsheet of the [Stage 1 species evidence](#) from the home page of the UK BAP website.

ⁱⁱⁱ Actions were assigned to each and every priority species by expert groups convened at Stage 2 of the Review process. These were subsequently categorised into “signpost categories”. This information is as shown on the UK BAP website See the link for [categorisation \(signposting\) of UK priority species](#).

^{iv} Where a species action is clearly linked to a BAP priority habitat, the name of the relevant habitat or habitats was identified by the stage 2 expert group.

^v This information has been derived from Stage 1 of the priority species review, and is presented in the “marine”, “terrestrial invertebrates” and “other terrestrial species” sheets within the spreadsheet of the [Stage 1 species evidence](#). The information presented here varies according to the taxonomic group. Please note that some of these data have been written for other Expert Group members and may not be of great value to a wider audience.

^{vi} Information on conservation designations has been extracted from JNCC’s collation of information on [species designations](#). The designations shown in version 2 of these pages are as at December 2010.

^{vii} As part of the 2008 UK BAP reporting round lead partners of national plans were asked to answer a number of specific questions. The data will be analysed and used for the UK and country level reports. All of the responses provided through BARS as part of the 2008 reporting exercise are available to [download](#). Note that in the December 2010 version of these pages (version 2) includes corrections to previously truncated text fields.