

**European Community Directive
on the Conservation of Natural Habitats
and of Wild Fauna and Flora
(92/43/EEC)**

**Second Report by the United Kingdom under
Article 17
on the implementation of the Directive
from January 2001 to December 2006**


**Conservation status assessment for
Habitat:**

**H1140 - Mudflats and sandflats not covered by
seawater at low tide**

The information in this assessment corresponds to the "habitat fact sheet" submitted by the UK to the European Union in February 2008 (second and final submission). Please note that this is a section of the UK's report. For the complete report visit <http://www.jncc.gov.uk/article17>

Please cite as: Joint Nature Conservation Committee. 2007. *Second Report by the UK under Article 17 on the implementation of the Habitats Directive from January 2001 to December 2006*. Peterborough: JNCC. Available from: www.jncc.gov.uk/article17

Habitat Name: Mudflats and sandflats not covered by seawater at low tide

1. National level	
Habitat Code	H1140
Member State	UK
Biogeographic regions concerned within the MS	ATL
1.1 Habitat range map	



2. Biogeographic level

2.1 Biogeographic region or marine region	ATL
2.2 Published sources and/or websites	<p>BEUKEMA, J.J., 1995. Long-term effects of mechanical harvesting of lugworms <i>Arenicola marina</i> on the zoobenthic community of a tidal flat in the Wadden Sea. <i>Netherlands Journal of Sea Research</i>, 33: 219-227.</p> <p>BOORMAN, L.A.; GOSS-CUSTARD, J.D.; MCGRORTY, S. 1989 Climatic change, rising sea level and the British coast, ITE Research Publication No. 1</p> <p>BOYES, S., BURDON, D. AND ELLIOTT, M. 2006 Unlicensed Activities: A review to consider the threats to marine biodiversity: Building the evidence base for the Marine Bill . CRO354 Living Land and Seas Science Division DEFRA.</p> <p>BROOKER R. & YOUNG., J 2005 Climate change and biodiversity in Europe: a review of impacts, policy responses, gaps in knowledge and barriers to the exchange of information between scientists and policy makers, NERC Centre for Ecology and Hydrology, Banchory research station, Final Report for Defra Research Contract CRO326, Report presented at the European Platform for Biodiversity Research, Strategy meeting held under the UK Presidency, October 2005</p> <p>BUCK, A.L & DONAGHY, A .1996 An inventory of UK estuaries. 7. Northern Ireland. Joint Nature Conservation Committee, Peterborough</p> <p>CARLTON, J.T. 1996 Pattern, process, and prediction in marine invasion ecology,</p>

Biol. Conserv., 78, 97–106.

COHEN, A. N. & CARLTON, J. T. 1998 Accelerating invasion rate in a highly invaded estuary, *Science*, 279, 555–557.

DAVIDSON, N.C. et al 1991 *Nature Conservation and Estuaries in Britain*, Nature Conservancy Council

DEFRA 2005a Physical processes and climate changes and effects, Integrated assessment, in *Charting Progress 5: Integrated regional assessment*

DEFRA (2005b) *State of marine Benthos in Charting progress 3 – Marine Species and Habitats*

DE GROOT S.J, LINDEBOOM H.J. 1994 Environmental impact of bottom gears on benthic fauna in relation to natural resources management and protection of the North Sea. Netherlands Institute for Sea Research, Texel

DEPARTMENT OF ENVIRONMENT. 1992 PLANNING POLICY GUIDANCE: COASTAL PLANNING
http://www.communities.gov.uk/pub/94/PlanningPolicyGuidance20CoastalplanningPDF88Kb_id1144094.pdf

ELLIOTT, M., S.NEDWELL, N.V.JONES, S.J.READ, N.D.CUTTS, K.L.HEMINGWAY. 1998 Intertidal Sand and Mudflats & Subtidal Mobile Sandbanks (volume II). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs. Scottish Association for Marine Science (UK Marine SACs Project). 151 Pages.

EUROPEAN COMMISSION .2003 Interpretation Manual of European Union Habitats, EUR 25
 October 2003, DG Environment Nature and biodiversity

FERNS, P.N., ROSTRON, D.M. & SIMAN, H.Y. 2000 Effects of mechanical cockle harvesting on intertidal communities. *J. Appl. Ecol.* 37: 464-474.

HALL, S.J. & HARDING, M.J.C. 1997 Physical disturbance and marine benthic communities: the effects of mechanical harvesting of cockles on non-target benthic infauna. *J. Appl. Ecol.* 34: 497-517.

INTERNATIONAL MARITIME ORGANIZATION 2004 International Convention for the Control and Management of Ships' Ballast Water and Sediments.
http://www.imo.org/Conventions/mainframe.asp?topic_id=867

JACKSON, J.B.C., KIRBY, M.X., BERGER, W.H., BJORN DAL, K.A., BOTSFORD, L.W., BOURQUE B.J., BRADBURY, R.H., COOKE, R., ERLANDSON, J., ESTES, J.A., HUGHES, T.P., KIDWELL, S., LANGE, C.B., LENIHAN, H.S., PANDOLFI, J. M., PETERSON, C.H., STENECK, R.S., TEGNER, M.J. AND WARNER, R.R. 2001. Historical Overfishing and the Recent Collapse of Coastal Ecosystems. *Science*, 293 (5530), 561-748.

JACKSON, D.L. & MCLEOD, C.R. (Editors), 2000, *Handbook on the UK status of EC Habitats Directive interest features: provisional data on the UK distribution and extent of Annex I habitats and the UK distribution and population size of Annex II species*, Revised 2002, JNCC Report 312, 180 pages, ISSN 0963 8091

JNCC. 2004 *Common Standards Monitoring Guidance for Generic Introduction for*

Marine Feature Guidance, ISSN 1743-8160 (online)

KAISER M.J., CHENEY K., SPENCE F.E., EDWARDS D.B. & RADFORD K .1999 Fishing effects in northeast Atlantic shelf seas: patterns in fishing effort, diversity and community structure. VII. The effects of trawling disturbance on the fauna associated with the tubeheads of serpulid worms. Fisheries Research 40: 195-205.

LAFFOLEY, D. AND TASKER, M. 2004 Marine Environment Analytical paper produced to support the report Net Benefits – a sustainable and profitable future for UK fishing.

Mitchell,R.; Probert,P.K.; McKirdy,A.P.; Doody,J.P. (1981) Severn tidal power: Nature conservation, NCC, NCC

MITCHELL, R.; PROBERT, P.K.; MCKIRDY, A.P.; DOODY, J.P. 1981 Severn tidal power: Nature conservation, NCC, NCC

OLIVE, P.J.W. 1993 Management of the exploitation of the lugworm *Arincola marina* and the ragworm *Nereis virens* (Polychaeta) in conservation areas. Aquatic Conservation of Marine and Freshwater Ecosystems 3: 1-24.

OSPAR . 2000 Quality Status Report 2000 Chapter 5 - Biology
<http://www.ospar.org/eng/html/welcome.html>

PYE, K. AND FRENCH, P.W. 1993. Targets for coastal habitat recreation. English Nature Science 13. English Nature: Peterborough

ROYAL COMMISSION ON ENVIRONMENTAL POLLUTION. 2004 Turning the Tide: Addressing the Impact of Fisheries on the Marine Environment, Twenty Fifth Report

RUIZ GM, CARLTON JT, GROSHOLZ ED, HINES AH. 1997 Global invasions of marine and estuarine habitats by non-indigenous species: Mechanisms, extent, and consequences. Amer. Zool. 37:621–632

Scottish Executive 2006 National Planning Policy Guidance 13 Coastal Planning,
<http://www.scotland.gov.uk/Publications/1997/08/nppg13-coastal>

SEWELL, J. & HISCOCK, K. 2005 Effects of fishing within UK European Marine Sites: guidance for nature conservation agencies. Report to the Countryside Council for Wales, English Nature and Scottish Natural Heritage from the Marine Biological Association. Plymouth: Marine Biological Association. CCW Contract FC 73-03-214A. 195 pp.

UKBAP. 2006a 2005 Lead Partner Reporting,
<http://www.ukbap.org.uk/GenPageText.aspx?id=105>

UKBAP. 2006b Habitat Action Plan: Mudflats,
<http://www.ukbap.org.uk/ukplans.aspx?id=34>

UKBAP. 2006c Habitat Action Plan: Seagrass Beds
<http://www.ukbap.org.uk/ukplans.aspx?id=35>

WELSH ASSEMBLY GOVERNMENT (1998) Technical Advice Note (Wales) 14, March 1998
http://new.wales.gov.uk/docrepos/40371/403823112/40382/40382/403821/403824/TAN_14_Full.doc?lang=en&ts=4

	WILLIAMS, J.M., ED. 2006. Common Standards Monitoring for Designated Sites: First Six Year Report. Peterborough, JNCC.
2.3 Range of the habitat within the Biogeographic or marine region	
2.3.1 Surface area of range in square km	2900
2.3.2 Date of range determination	05/2007
2.3.3 Quality of data concerning range	Moderate
2.3.4 Range trend	Stable (=)
2.3.5 Range trend magnitude in %	Not applicable
2.3.6 Range trend period	1994-2006
2.3.7 Reasons for reported trend	Not applicable
2.4 Area covered by habitat type within the range in the biogeographical region concerned.	
2.4.1 Surface area of the habitat type (sq km)	2900
2.4.2 Date of area estimation	05/2007
2.4.3 Method used for area estimation	1 - Only or mostly based on expert opinion
2.4.4 Quality of data on area	Poor
2.4.5 Area trend	Unknown (X)
2.4.6 Area trend magnitude in %	Not applicable
2.4.7 Area trend period	1994-2006
2.4.8 Reasons for reported trend	Not applicable
2.4.9 Justification of % thresholds for trends (optional)	Not applicable
2.4.10 Main pressures	200 - Fish and Shellfish Aquaculture; 210 - Professional fishing; 211 - fixed location fishing; 220 - Leisure fishing; 221 - bait digging; 400 - Urbanised areas, human habitation; 410 - Industrial or commercial areas; 420 - Discharges; 504 - port areas; 600 - Sport and leisure structures; 621 - nautical sports; 623 - motorised vehicles; 700 - Pollution; 701 - water pollution; 720 - Trampling, overuse; 870 - Dykes, embankments, artificial beaches, general; 900 - Erosion; 952 - eutrophication; 954 - invasion by a species; 960 - Interspecific faunal relations; 970 - Interspecific floral relations; 974 - genetic pollution;
2.4.11 Threats	200 - Fish and Shellfish Aquaculture; 210 - Professional fishing; 211 - fixed location fishing; 220 - Leisure fishing; 221 - bait digging; 400 - Urbanised areas, human habitation; 410 - Industrial or commercial areas; 420 - Discharges; 504 - port areas; 600 - Sport and leisure structures; 621 - nautical sports; 623 - motorised vehicles; 700 - Pollution; 701 - water pollution; 720 - Trampling, overuse; 870 - Dykes, embankments, artificial beaches, general; 900 - Erosion; 952 - eutrophication; 954 - invasion by a species; 960 - Interspecific faunal relations; 970 - Interspecific floral relations; 974 - genetic pollution;
Complementary information	
2.5.1 Favourable reference range (sq km)	2900

2.5.2 Favourable reference area (sq km)	2900
2.5.3 Typical species	none listed
2.5.4 Typical species assessment	Not applicable
2.5.5 Other relevant information	
2.6 Conclusions (assessment of conservation status at end of reporting period)	
(2.3) Range	(FV) - Favourable
(2.4) Area	(FV) - Favourable
(2.5) Specific structures and functions (incl. typical species)	(U2-) - Bad and deteriorating
Future prospects	(U2-) - Bad and deteriorating
Overall assessment	(U2-) - Bad and deteriorating