

**European Community Directive
on the Conservation of Natural Habitats
and of Wild Fauna and Flora
(92/43/EEC)**

**Second Report by the United Kingdom under
Article 17
on the implementation of the Directive
from January 2001 to December 2006**

**Conservation status assessment for
Habitat:
H1170 - Reefs**

The information in this assessment corresponds to the "habitat fact sheet" submitted by the UK to the European Union in February 2008 (second and final submission). Please note that this is a section of the UK's report. For the complete report visit <http://www.jncc.gov.uk/article17>

Please cite as: Joint Nature Conservation Committee. 2007. *Second Report by the UK under Article 17 on the implementation of the Habitats Directive from January 2001 to December 2006*. Peterborough: JNCC. Available from: www.jncc.gov.uk/article17

Habitat Name: Reefs

1. National level	
Habitat Code	H1170
Member State	UK
Biogeographic regions concerned within the MS	MATL
1.1 Habitat range map	
1.2 Habitat distribution map	

2. Biogeographic level

2.1 Biogeographic region or marine region

MATL

2.2 Published sources and/or websites

BETT, B.J., BILLET, D.S.M., MASSON, D.G. & TYLER, P.A. 2001 RRS Discovery Cruise 248 7th July - 10th August. A multidisciplinary study of the environment and ecology of deep-water coral ecosystems and associated seabed facies and features (The Darwin Mounds, Porcupine Bank and Porcupine Seabight). Southampton, UK, Southampton Oceanography Centre, 108pp. (Southampton Oceanography Centre Cruise Report, 36)

D.A. BIRKETT, C.A. MAGGS, M.J. DRING AND P.J.S. BOADEN. R.SEED 1998 Infralittoral Reef Biotopes with Kelp Species (volume VII). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs. Scottish Association of Marine Science (UK Marine SACs Project). 174 pages.

BOYES, S., BURDON, D. AND ELLIOTT, M. 2006 Unlicensed Activities: A review to consider the threats to marine biodiversity: Building the evidence base for the Marine Bill . CRO354 Living Land and Seas Science Division DEFRA.

BROOKER R. & J. YOUNG 2005 Climate change and biodiversity in Europe: a review of impacts, policy responses, gaps in knowledge and barriers to the exchange of information between scientists and policy makers, NERC Centre for Ecology and Hydrology, Banchory research station, Final Report for Defra Research Contract CRO326, Report presented at the European Platform for Biodiversity Research, Strategy meeting held under the UK Presidency, October 2005

COHEN, A. N. AND CARLTON, J. T. 1998 Accelerating invasion rate in a highly invaded estuary. *Science*, 279, 555–557

DEFRA 2005 Physical processes and climate changes and effects, Integrated Assessment, in Charting Progress 5: Integrated regional assessment

DE GROOT, S.J., LINDEBOOM HJ 1994 Environmental impact of bottom gears on benthic fauna in relation to natural resources management and protection of the North Sea. Netherlands Institute for Sea Research, Texel

DEPARTMENT OF ENVIRONMENT 1992 Planning Policy Guidance: Coastal Planning

http://www.communities.gov.uk/pub/94/PlanningPolicyGuidance20CoastalplanningPDF88Kb_id1144094.pdf

EHS 2006 Strangford Lough Ecological Change Investigation (SLECI) : Introduction from Environment and Heritage Service

<http://www.ehsni.gov.uk/natural/conservation/SLECI/sleci.shtml>

EUROPEAN COMMISSION 2006 Proposal for Updating the Interpretation Manual of European Union Habitats with three new definitions for the marine habitat types listed in Annex I of the 92/43 Habitats Directive: 1110 Sandbanks which are slightly covered by sea water all the time, 1170 Reefs, and 1180 Submarine structures made by leaking gases

GRAHAM C, CAMPBELL E, CAVILL J, GILLESPIE E & WILLIAMS R 2001 JNCC Marine Habitats Version 3: its structure and content. British Geological Survey Commissioned Report, CR/01/238, 45 pp. (the Reefs dataset was supplied under licence to JNCC, hence the reference to it on maps being "Seabed habitat derived from BGS 1:250,000 seabed sediment maps copyright NERC (Licence No.

2002/85)."

HARTNOLL, R.G. 1998 Volume VIII. Circalittoral faunal turf biotopes. Scottish Association of Marine Sciences (UK Marine SAC Project), Oban, Scotland. 109 pages.

HAUGAN, P.M., C. TURLEY & H. POERTNER 2006 EFFECTS ON THE MARINE ENVIRONMENT OF OCEAN ACIDIFICATION RESULTING FROM ELEVATED LEVELS OF CO₂ IN THE ATMOSPHERE, Document prepared by an intersessional working group, OSPAR

HILL, S. M.T. BURROWS, S.J. HAWKINS 1998 Intertidal Reef Biotopes (Volume VI). An

overview of dynamics and sensitivity characteristics for conservation management of marine

SACs. Scottish Association for Marine Science (UK Marine SACs Project). 84 Pages.

HOLT, T.J., E.I. REES, S.J. HAWKINS, R. SEED 1998 Biogenic Reefs (Volume IX). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs. Scottish Association for Marine Science (UK Marine SACs Project). 170 Pages.

INTERNATIONAL MARITIME ORGANIZATION 2004 International Convention for the Control and Management of Ships' Ballast Water and Sediments.

http://www.imo.org/Conventions/mainframe.asp?topic_id=867

JACKSON, D.L. & MCLEOD, C.R. (Editors), 2000,2002 Handbook on the UK status of EC Habitats Directive interest features: provisional data on the UK distribution and extent of Annex I habitats and the UK distribution and population size of Annex II species, Revised 2002, JNCC Report 312, 180 pages, ISSN 0963 8091

JACKSON, J.B.C., KIRBY, M.X., BERGER, W.H., BJORN DAL, K.A., BOTSFORD, L.W., BOURQUE B.J., BRADBURY, R.H., COOKE, R., ERLANDSON, J., ESTES, J.A., HUGHES, T.P., KIDWELL, S., LANGE, C.B., LENIHAN, H.S., PANDOLFI, J. M., PETERSON, C.H., STENECK, R.S., TEGNER, M.J. AND WARNER, R.R. 2001 Historical Overfishing and the Recent Collapse of Coastal Ecosystems. Science, 293 (5530), 561-748.

JNCC (2004) MARINE NATURA 2000 - PROCESS FOR CONSIDERATION OF OFFSHORE SACs AND FOR SPAs AND SACs WHICH CROSS THE 12n MILE BOUNDARY Paper by Charlotte Johnston and Caroline Turnbull

<http://www.jncc.gov.uk/PDF/comm04P09.pdf>

JNCC 2007a JNCC defends Darwin Mounds! Cold-water coral reef protected from further damage

<http://www.jncc.gov.uk/default.aspx?page=3337>

JNCC 2007b SACs in UK offshore waters

http://www.jncc.gov.uk/protectedsites/sacselection/SAC_list.asp?Country=OF

LAFFOLEY, D.A. AND TASKER, M.L. 2004 Marine Environment: analytical paper produced to support the report Net Benefits – a Sustainable and Profitable Future for UK Fishing. Prime Minister's Strategy Unit.

LONG, D, ROBERTS, JM & GILLESPIE, EJ 1999 Occurrences of *Lophelia pertusa* on the Atlantic margin. British Geological Survey Technical Report

WB/99/24

KAISER M.J., CHENEY K., SPENCE F.E., EDWARDS D.B. & RADFORD K
1999 Fishing effects in northeast Atlantic shelf seas: patterns in fishing effort, diversity and community structure. VII. The effects of trawling disturbance on the fauna associated with the tubeheads of serpulid worms. Fisheries Research 40: 195-205.

OSPAR 2000 Quality Status Report 2000

Chapter 5 - Biology <http://www.ospar.org/eng/html/welcome.html>

OSPAR 2007 JAMP biodiversity assessments: An initial assessment for the habitat *Modiolus modiolus* horse mussel beds, Ospar Convention for the Protection of the Marine Environment of the North-East Atlantic Meeting of the Biodiversity Committee (BDC) Brussels (European Commission): 26-30 March 2007 BDC 07/?/?-E

ROYAL COMMISSION ON ENVIRONMENTAL POLLUTION 2004 Turning the Tide: Addressing the Impact of Fisheries on the Marine Environment, Twenty Fifth Report

THE ROYAL SOCIETY 2005 Ocean acidification due to increasing atmospheric carbon dioxide, Policy document 12/05, June 2005 ISBN 0 85403 617 2

RUIZ GM, CARLTON JT, GROSHOLZ ED, HINES AH 1997 Global invasions of marine and estuarine habitats by non-indigenous species: Mechanisms, extent, and consequences. Amer. Zool. 37:621–632

SCOTTISH EXECUTIVE 2006 NPPG13 - Coastal Planning,

<http://www.scotland.gov.uk/Publications/1997/08/nppg13-coastal>

SEWELL, J. & HISCOCK, K. 2005 Effects of fishing within UK European Marine Sites: guidance for nature conservation agencies. Report to the Countryside Council for Wales, English Nature and Scottish Natural Heritage from the Marine Biological Association. Plymouth: Marine Biological Association. CCW Contract FC 73-03-214A. 195 pp.

UKBAP 2006a Habitat Action Plan for *Sabellaria alveolata* reefs

<http://www.ukbap.org.uk/UKPlans.aspx?ID=32>

UKBAP 2006b Habitat Action Plan for *Sabellaria spinulosa* reefs

<http://www.ukbap.org.uk/UKPlans.aspx?ID=38>

UKBAP 2006c Habitat Action Plan for *Modiolus modiolus* beds

<http://www.ukbap.org.uk/UKPlans.aspx?ID=37>

UKBAP 2006d Habitat Action Plan for Serpulid reefs

<http://www.ukbap.org.uk/UKPlans.aspx?ID=43>

UKBAP 2006e Habitat Action Plan for *Lophelia pertusa*

<http://www.ukbap.org.uk/UKPlans.aspx?ID=45>

UKBAP 2006f 2005 Lead Partner Reporting

<http://www.ukbap.org.uk/GenPageText.aspx?id=105>

WELSH ASSEMBLY GOVERNMENT 1998 Technical Advice Note (Wales) 14,

	<p>March 1998</p> <p>http://new.wales.gov.uk/docrepos/40371/403823112/40382/40382/403821/403824/TAN_14_Full.doc?lang=en&ts=4</p> <p>WILLIAMS, J.M., ED. 2006 Common Standards Monitoring for Designated Sites: First Six Year Report. Peterborough, JNCC.</p> <p>WILSON JB 1979 The distribution of the coral <i>Lophelia pertusa</i> (L.) [<i>L. prolifera</i> (Pallas)] in the North East Atlantic. <i>Journal of the Marine Biological Association of the UK</i>, 59, 149-164</p>
2.3 Range of the habitat within the Biogeographic or marine region	
2.3.1 Surface area of range in square km	96981
2.3.2 Date of range determination	05/2007
2.3.3 Quality of data concerning range	Poor
2.3.4 Range trend	Stable (=)
2.3.5 Range trend magnitude in %	Not applicable
2.3.6 Range trend period	1994-2006
2.3.7 Reasons for reported trend	Not applicable
2.4 Area covered by habitat type within the range in the biogeographical region concerned.	
2.4.1 Surface area of the habitat type (sq km)	57236
2.4.2 Date of area estimation	05/2007
2.4.3 Method used for area estimation	2 - Based on remote sensing data
2.4.4 Quality of data on area	Moderate
2.4.5 Area trend	Stable (=)
2.4.6 Area trend magnitude in %	Not applicable
2.4.7 Area trend period	1994-2006
2.4.8 Reasons for reported trend	Not applicable
2.4.9 Justification of % thresholds for trends (optional)	Not applicable
2.4.10 Main pressures	200 - Fish and Shellfish Aquaculture; 210 - Professional fishing; 210 - Professional fishing; 211 - fixed location fishing; 212 - trawling; 220 - Leisure fishing; 220 - Leisure fishing; 240 - Taking / Removal of fauna, general; 250 - Taking / Removal of flora, general; 300 - Sand and gravel extraction; 400 - Urbanised areas, human habitation; 410 - Industrial or commercial areas; 420 - Discharges; 510 - Energy transport; 512 - pipe lines; 621 - nautical sports; 621 - nautical sports; 690 - Other leisure and tourism impacts not referred to above; 700 - Pollution; 701 - water pollution; 701 - water pollution; 720 - Trampling, overuse; 800 - Landfill, land reclamation and drying out, general; 851 - modification of marine currents; 860 - Dumping, depositing of dredged deposits; 871 - sea defense or coast protection works; 952 - eutrophication; 954 - invasion by a species; 960 - Interspecific faunal relations; 970 - Interspecific floral relations; 974 - genetic pollution;

2.4.11 Threats	200 - Fish and Shellfish Aquaculture; 210 - Professional fishing; 210 - Professional fishing; 211 - fixed location fishing; 212 - trawling; 220 - Leisure fishing; 240 - Taking / Removal of fauna, general; 250 - Taking / Removal of flora, general; 300 - Sand and gravel extraction; 400 - Urbanised areas, human habitation; 410 - Industrial or commercial areas; 420 - Discharges; 510 - Energy transport; 512 - pipe lines; 621 - nautical sports; 690 - Other leisure and tourism impacts not referred to above; 700 - Pollution; 701 - water pollution; 720 - Trampling, overuse; 800 - Landfill, land reclamation and drying out, general; 851 - modification of marine currents; 860 - Dumping, depositing of dredged deposits; 871 - sea defense or coast protection works; 900 - Erosion; 910 - Silting up; 930 - Submersion; 952 - eutrophication; 954 - invasion by a species; 960 - Interspecific faunal relations; 970 - Interspecific floral relations; 974 - genetic pollution;
Complementary information	
2.5.1 Favourable reference range (sq km)	Unknown
2.5.2 Favourable reference area (sq km)	Unknown
2.5.3 Typical species	<i>Apogon imberbis</i> ; <i>Astroides calycularis</i> ; <i>Babakina anadoni</i> ; <i>Boops boops</i> ; <i>Boops salpa</i> ; <i>Centrostephanus longispinus</i> ; <i>Charonia lampas</i> ; <i>Conger conger</i> ; <i>Diplodus sargus</i> ; <i>Diplodus vulgaris</i> ; <i>Epinephelus guaza</i> ; <i>Lithophaga lithophaga</i> ; <i>Muraena helena</i> ; <i>Octopus vulgaris</i> ; <i>Pinna nobilis</i> ; <i>Roboastra europea</i> ; <i>Scorpina porcus</i> ; <i>Sepia officinalis</i> ;
2.5.4 Typical species assessment	Not applicable
2.5.5 Other relevant information	
2.6 Conclusions (assessment of conservation status at end of reporting period)	
(2.3) Range	(XX) - Unknown
(2.4) Area	(XX) - Unknown
(2.5) Specific structures and functions (incl. typical species)	(XX) - Unknown
Future prospects	(XX) - Unknown
Overall assessment	(XX) - Unknown