

**European Community Directive
on the Conservation of Natural Habitats
and of Wild Fauna and Flora
(92/43/EEC)**

**Second Report by the United Kingdom under
Article 17
on the implementation of the Directive
from January 2001 to December 2006**

**Conservation status assessment for
Habitat:**

**H1310 - *Salicornia* and other annuals colonising
mud and sand**

The information in this assessment corresponds to the "habitat fact sheet" submitted by the UK to the European Union in February 2008 (second and final submission). Please note that this is a section of the UK's report. For the complete report visit <http://www.jncc.gov.uk/article17>

Please cite as: Joint Nature Conservation Committee. 2007. *Second Report by the UK under Article 17 on the implementation of the Habitats Directive from January 2001 to December 2006*. Peterborough: JNCC. Available from: www.jncc.gov.uk/article17

Habitat Name: *Salicornia* and other annuals colonising mud and sand


1. National level

Habitat Code H1310


Member State UK

Biogeographic regions concerned within the MS ATL

1.1 Habitat range map



1.2 Habitat distribution map



2. Biogeographic level

2.1 Biogeographic region or marine region

ATL

2.2 Published sources and/or websites

Air Pollution Information System (2004) www.apis.ceh.ac.uk

BAILY B. & PEARSON A. 2001. Change detection mapping of saltmarsh areas of south England from Hurst Castle to Pagham Harbour. Department of Geography, University of Portsmouth. Study to Inform CHaMP.

BOORMAN, L. 2003. Saltmarsh review: and Overview of coastal saltmarshes, their dynamic and sensitivity characteristics for conservation and management. JNCC Report 334. Peterborough.

BURD F. 1989. Saltmarsh Survey of Great Britain. An inventory of British saltmarshes. Research & Survey in Nature Conservation 17. Nature Conservancy Council, Peterborough.

BURD F. 1991. Erosion and vegetation change on the saltmarshes of Essex and

north Kent between 1973 and 1989. Research & Survey in Nature Conservation 42. Nature Conservancy Council, Peterborough.

COLCLOUGH, S., FONSECA, L., ASTLEY, T., THOMAS, K. & WATTS S, W. 2005. Fish utilisation of managed realignments Fisheries Management & Ecology, Volume 12, Number 6, December 2005, pp. 351-360(10)

COLENTT, A. 2001. Saltmarsh Management Techniques. A review. New Forest District Council Coast Protection Group.

COOPER, N.J., COOPER, T & BURD, F. 2001. 25 years of salt marsh erosion in Essex: implications for coastal defence and nature conservation. Journal of Coastal Conservation 7: 31-40.

DOODY, J.P. 2001. Coastal Conservation and Management: An ecological perspective. Kluwer Academic Publishers.

ENGLISH NATURE 2002. Living with the Sea LIFE Nature Project: CHaMPs studies <http://www.english-nature.gov.uk/livingwiththesea/champs/pilots.asp>

HAINES-YOUNG, RH et al. 2000 Accounting for nature: assessing habitats in the UK countryside. DETR, Rotherham.

HUBBARD, J. C. E. & STEBBINGS, R. E. 1967. Distribution, dates of origin and acreage of *Spartina townsendii* (s. l.) marshes in Great Britain. Proceedings of the Botanical Society of the British Isles 7: 1-7.

JACKSON, DL & MCLEOD, CR (eds.) 2002 Handbook on the UK status of EC Habitats Directive interest features: provisional data on the UK distribution and extent of Annex I habitats and the UK distribution and population size of Annex II species. JNCC Report, No. 312. Version 2. www.jncc.gov.uk/page-2447

JOINT NATURE CONSERVATION COMMITTEE 2005 Common Standards Monitoring (CSM). Joint Nature Conservation Committee, Peterborough www.jncc.gov.uk/page-2217

MAY, V.J. & HANSOM, J.D. 2003 Coastal geomorphology of Great Britain. Geological Conservation Review Series 28, JNCC, Peterborough.

MCLEOD, CR, YEO, M, BROWN, AE, BURN, AJ, HOPKINS, JJ, & WAY, SF (eds.) (2007) The Habitats Directive: selection of Special Areas of Conservation in the UK. 2nd edn. Joint Nature Conservation Committee, Peterborough www.jncc.gov.uk/SACselection

NOTTAGE, A S. & ROBERTSON P.A. 2005. The saltmarsh creation handbook: A project manager's guide to the creation of saltmarsh and mudflat. RSPB, Sandy, and CIWEM, London.

PYE K. & FRENCH J. 1993. Erosion and accretion processes in British saltmarshes Volumes 1-5. Report prepared for the Ministry of Agriculture, Fisheries and Food, London. Cambridge: Cambridge Environmental Research Consultants Ltd.

RODWELL J.S. 2000. British Plant Communities. Volume 5 Maritime communities and vegetation of open habitats. Cambridge University Press, Cambridge.

ROYAL HASKONING 2006. Coastal squeeze, saltmarsh loss and Special Protection Areas. English Nature Research Report 710. English Nature, Peterborough.

	<p>STEWART, A., PEARMAN, D.A. & PRESTON, C.D. 1994. Scarce Plants in Britain. Peterborough, Joint Nature Conservation Committee.</p> <p>UK BAP 2005. Biodiversity Action Reporting System: https://www.ukbap-reporting.org.uk/search/threats_species_habitat_nationals.asp?C=3&X=5BCEED59-EFC5-4C33-90D2-87D9884F6AF6&P=&F=&S=coastal+saltmarsh&radiobutton=radiobutton&T1=&s ubmitted=1&txtLogout=</p> <p>WOLTERS M., GARBUTT, A & BAKKER, J.P. 2005. Salt-marsh restoration: evaluating the success of de-embankments in north-west Europe. Biological Conservation 123, 249-268. www.uea.ac.uk/~e130/Saltmarsh.htm Impact of managed realignment schemes.</p> <p>Map data sources</p> <p>Inter-agency Coastal Specialist Working Group. 1999</p> <p>JNCC International Designations Database. Joint Nature Conservation Committee</p> <p>Larne Lough and Carlingford Lough SPA grid refs . 2007. Environmental Heritage Service</p>
--	--

2.3 Range of the habitat within the Biogeographic or marine region

2.3.1 Surface area of range in square km	3514
2.3.2 Date of range determination	05/2007
2.3.3 Quality of data concerning range	Moderate
2.3.4 Range trend	Stable (=)
2.3.5 Range trend magnitude in %	Not applicable
2.3.6 Range trend period	1994-2006
2.3.7 Reasons for reported trend	Not applicable

2.4 Area covered by habitat type within the range in the biogeographical region concerned.

2.4.1 Surface area of the habitat type (sq km)	23.7
2.4.2 Date of area estimation	05/2007
2.4.3 Method used for area estimation	3 - Ground based survey
2.4.4 Quality of data on area	Moderate
2.4.5 Area trend	Decreasing (-)
2.4.6 Area trend magnitude in %	less than 1%
2.4.7 Area trend period	1973-1998
2.4.8 Reasons for reported trend	3 - Direct human influence; 4 - Indirect anthropo or zoogenic influence; 5 - Natural processes;
2.4.9 Justification of % thresholds for trends (optional)	Not applicable

2.4.10 Main pressures	420 - Discharges; 701 - water pollution; 702 - air pollution; 703 - soil pollution; 730 - Military manouvres; 802 - reclamation of land from sea, estuary or marsh; 810 - Drainage; 840 - Flooding; 851 - modification of marine currents; 871 - sea defense or coast protection works; 900 - Erosion; 930 - Submersion; 954 - invasion by a species; 971 - competition;
2.4.11 Threats	420 - Discharges; 701 - water pollution; 702 - air pollution; 703 - soil pollution; 730 - Military manouvres; 802 - reclamation of land from sea, estuary or marsh; 810 - Drainage; 840 - Flooding; 851 - modification of marine currents; 871 - sea defense or coast protection works; 900 - Erosion; 930 - Submersion; 950 - Biocenotic evolution; 954 - invasion by a species; 971 - competition;
Complementary information	
2.5.1 Favourable reference range (sq km)	3514
2.5.2 Favourable reference area (sq km)	Unknown
2.5.3 Typical species	none listed
2.5.4 Typical species assessment	Not applicable
2.5.5 Other relevant information	
2.6 Conclusions (assessment of conservation status at end of reporting period)	
(2.3) Range	(FV) - Favourable
(2.4) Area	(U1-) - Inadequate and deteriorating
(2.5) Specific structures and functions (incl. typical species)	(U2-) - Bad and deteriorating
Future prospects	(U2-) - Bad and deteriorating
Overall assessment	(U2-) - Bad and deteriorating