

Information Sheet on Ramsar Wetlands (RIS)

Categories approved by Recommendation 4.7 (1990), as amended by Resolution VIII.13 of the 8th Conference of the Contracting Parties (2002) and Resolutions IX.1 Annex B, IX.6, IX.21 and IX. 22 of the 9th Conference of the Contracting Parties (2005).

Notes for compilers:

1. The RIS should be completed in accordance with the attached *Explanatory Notes and Guidelines for completing the Information Sheet on Ramsar Wetlands*. Compilers are strongly advised to read this guidance before filling in the RIS.
2. Further information and guidance in support of Ramsar site designations are provided in the *Strategic Framework for the future development of the List of Wetlands of International Importance* (Ramsar Wise Use Handbook 7, 2nd edition, as amended by COP9 Resolution IX.1 Annex B). A 3rd edition of the Handbook, incorporating these amendments, is in preparation and will be available in 2006.
3. Once completed, the RIS (and accompanying map(s)) should be submitted to the Ramsar Secretariat. Compilers should provide an electronic (MS Word) copy of the RIS and, where possible, digital copies of all maps.

1. Name and address of the compiler of this form:

Joint Nature Conservation Committee

Monkstone House

City Road

Peterborough

Cambridgeshire PE1 1JY

UK

Telephone/Fax: +44 (0)1733 – 562 626 / +44 (0)1733 – 555 948

Email: RIS@JNCC.gov.uk

FOR OFFICE USE ONLY.

DD MM YY

--	--	--

Designation date

--	--	--	--	--	--

Site Reference Number

2. Date this sheet was completed/updated:

Designated: 05 January 1976

3. Country:

UK (Northern Ireland)

4. Name of the Ramsar site:

Lough Neagh and Lough Beg

5. Designation of new Ramsar site or update of existing site:

This RIS is for: Updated information on an existing Ramsar site

6. For RIS updates only, changes to the site since its designation or earlier update:

a) Site boundary and area:

** Important note: If the boundary and/or area of the designated site is being restricted/reduced, the Contracting Party should have followed the procedures established by the Conference of the Parties in the Annex to COP9 Resolution IX.6 and provided a report in line with paragraph 28 of that Annex, prior to the submission of an updated RIS.

b) Describe briefly any major changes to the ecological character of the Ramsar site, including in the application of the Criteria, since the previous RIS for the site:

7. Map of site included:

Refer to Annex III of the *Explanatory Notes and Guidelines*, for detailed guidance on provision of suitable maps, including digital maps.

a) A map of the site, with clearly delineated boundaries, is included as:

- i) **hard copy** (required for inclusion of site in the Ramsar List): *yes* ✓ -or- *no* ☐;
- ii) **an electronic format** (e.g. a JPEG or ArcView image) *Yes*
- iii) **a GIS file providing geo-referenced site boundary vectors and attribute tables** *yes* ✓ -or- *no* ☐;

b) Describe briefly the type of boundary delineation applied:

e.g. the boundary is the same as an existing protected area (nature reserve, national park etc.), or follows a catchment boundary, or follows a geopolitical boundary such as a local government jurisdiction, follows physical boundaries such as roads, follows the shoreline of a waterbody, etc.

The site boundary is the same as, or falls within, an existing protected area.

For precise boundary details, please refer to paper map provided at designation

8. Geographical coordinates (latitude/longitude):

54 34 11 N 06 24 34 W

9. General location:

Include in which part of the country and which large administrative region(s), and the location of the nearest large town.

Nearest town/city: Belfast

Lough Neagh is situated in the centre of Northern Ireland. It is the largest freshwater lake in the United Kingdom, covering an area of 383 square km, with a longest length of 30.5 km and narrowest width of 12.1 km across the middle.

Administrative region: Antrim; Armagh; Ballymena; Cookstown; Craigavon; Down; Dungannon; Lisburn; Londonderry; Magherafelt; Tyrone

10. Elevation (average and/or max. & min.) (metres): **11. Area** (hectares): 50165.84

Min.	0
Max.	20
Mean	0

12. General overview of the site:

Provide a short paragraph giving a summary description of the principal ecological characteristics and importance of the wetland.

Lough Neagh is situated in the centre of Northern Ireland. It is the largest freshwater lake in the United Kingdom covering an area of 383 km² with a longest length of 30.5 km and narrowest width of 12.1 km across the middle. The lake is very shallow for its size, with a mean depth of 8.9 metres. At its deepest point it extends down to 34 metres. The 125 km shoreline is mostly exposed with wave-beaten rocks and stones but there are also some sheltered, sandy bays with better-developed marginal vegetation including some reedbeds.

This site also contains a smaller lake, Lough Beg (1,125 ha) to the north, as well as a small satellite lake, Portmore Lough (286 ha) which is situated to the east of Lough Neagh. Lough Beg (meaning 'little lough') is essentially a widening of the Lower Bann River just downstream from where it leaves Lough Neagh. Lough Beg is very shallow, with a mean depth of 1-2 metres and a surface area of km². About 200 hectares of the west shore is unimproved wet grassland that is largely inundated with floodwater each winter.

Rivers flowing into Lough Neagh drain about 43% of Northern Ireland, plus part of County Monaghan in the Republic of Ireland.

13. Ramsar Criteria:

Circle or underline each Criterion applied to the designation of the Ramsar site. See Annex II of the *Explanatory Notes and Guidelines* for the Criteria and guidelines for their application (adopted by Resolution VII.11).

1, 2, 3, 4, 5, 6

14. Justification for the application of each Criterion listed in 13 above:

Provide justification for each Criterion in turn, clearly identifying to which Criterion the justification applies (see Annex II for guidance on acceptable forms of justification).

Ramsar criterion 1

A particularly good representative example of natural or near-natural wetlands, common to more than one biogeographic region. The site is the largest freshwater lake in the United Kingdom. Lough Neagh a relatively shallow body of water supporting beds of submerged aquatic vegetation fringed by associated species-rich damp grassland, reedbeds, islands, fens, marginal swampy woodland and pasture. Other interesting vegetation types include those associated with pockets of cut-over bog, basalt rock outcrops and boulders, and the mobile sandy shore.

Ramsar criterion 2

Supports an appreciable assemblage of rare, vulnerable or endangered species or sub-species of plant or animal or an appreciable number of individuals of any one of these species. The site supports over 40 rare or local vascular plants which have been recorded for the site since 1970; the most notable are eight-stamened waterwort *Elatine hydropiper*, marsh pea *Lathyrus palustris*, Irish lady's tresses *Spiranthes romanzoffiana*, alder buckthorn *Frangula alnus*, narrow small-reed *Calamagrostis stricta* and holy grass *Hierochloa odorata*. The Lough and its margin are also home to a large number of rare or local invertebrates, including two aquatic and two terrestrial molluscs, a freshwater shrimp *Mysis relicta*, eight beetles, five hoverflies, seven moths and two butterflies. Of the rare beetles recorded two, *Stenus palposus* and *Dyschirius obscurus*, have their only known Irish location around the Lough. The Lough also supports twelve species of dragonfly.

Ramsar criterion 3

This site is of special value for maintaining the genetic and ecological diversity of a region because of the quality and peculiarities of its flora and fauna. The site regularly supports substantial numbers of individuals from particular groups of waterfowl which are indicative of wetland values, productivity and diversity. In addition, this site is of special value for maintaining the genetic and ecological diversity of Northern Ireland because of the quality and peculiarities of its flora and fauna. A large number of plants and animal species are confined or almost confined to this area within Northern Ireland.

Ramsar criterion 4

This site is of special value as the habitat of plants or animals at a critical stage of their biological cycles. The site supports an important assemblage of breeding birds including the following species with which occur in nationally important numbers: great crested grebe *Podiceps cristatus*, gadwall *Anas strepera*, pochard *Aythya ferina*, tufted duck *Aythya fuligula*, snipe *Gallinago gallinago* and redshank *Tringa totanus*. Other important breeding wetland species include shelduck *Tadorna tadorna*, teal *Anas crecca*, shoveler *Anas clypeata*, lapwing *Vanellus vanellus* and curlew *Numenius arquata*.

Ramsar criterion 7

The site supports a population of pollan *Coregonus autumnalis*, one of the few locations in Ireland and one of the two known locations in the UK (the other is Lower Lough Erne). It is one of the most important species in Ireland in terms of faunal biodiversity since it occurs nowhere else in Europe,

and the Irish populations are all well outside the typical range – the Arctic Ocean drainages of Siberia, Alaska and north-western Canada, where it is known as the Arctic cisco.

Ramsar criterion 5

Assemblages of international importance:

Species with peak counts in winter:

86639 waterfowl (5 year peak mean 1998/99-2002/2003)

Ramsar criterion 6 – species/populations occurring at levels of international importance.

Qualifying Species/populations (as identified at designation):

Species with peak counts in spring/autumn:

Tundra swan , <i>Cygnus columbianus bewickii</i> , NW Europe	26 individuals, representing an average of 0.1% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
---	--

Species with peak counts in winter:

Whooper swan , <i>Cygnus cygnus</i> , Iceland/UK/Ireland	1523 individuals, representing an average of 7.2% of the population (5 year peak mean 1998/9-2002/3)
Common pochard , <i>Aythya ferina</i> , NE & NW Europe	20279 individuals, representing an average of 5.7% of the population (5 year peak mean 1998/9-2002/3)
Tufted duck , <i>Aythya fuligula</i> , NW Europe	17807 individuals, representing an average of 1.4% of the population (5 year peak mean 1998/9-2002/3)
Greater scaup , <i>Aythya marila marila</i> , W Europe	3377 individuals, representing an average of 1% of the population (5 year peak mean 1998/9-2002/3)
Common goldeneye , <i>Bucephala clangula clangula</i> , NW & C Europe	6645 individuals, representing an average of 1.6% of the population (5 year peak mean 1998/9-2002/3)

Species/populations identified subsequent to designation for possible future consideration under criterion 6.

Species with peak counts in spring/autumn:

Great cormorant , <i>Phalacrocorax carbo carbo</i> , NW Europe	1628 individuals, representing an average of 1.3% of the population (5 year peak mean 1998/9-2002/3)
Mute swan , <i>Cygnus olor</i> , Britain	1874 individuals, representing an average of 4.9% of the population (5 year peak mean 1998/9-2002/3)

Contemporary data and information on waterbird trends at this site and their regional (sub-national) and national contexts can be found in the Wetland Bird Survey report, which is updated annually. See www.bto.org/survey/webs/webs-alerts-index.htm.

See Sections 21/22 for details of noteworthy species

Details of bird species occurring at levels of National importance are given in Section 22

15. Biogeography (required when Criteria 1 and/or 3 and /or certain applications of Criterion 2 are applied to the designation):

Name the relevant biogeographic region that includes the Ramsar site, and identify the biogeographic regionalisation system that has been applied.

a) biogeographic region:

Atlantic

b) biogeographic regionalisation scheme (include reference citation):

Council Directive 92/43/EEC

16. Physical features of the site:

Describe, as appropriate, the geology, geomorphology; origins - natural or artificial; hydrology; soil type; water quality; water depth, water permanence; fluctuations in water level; tidal variations; downstream area; general climate, etc.

Soil & geology	sand, clay, peat, basalt
Geomorphology and landscape	lowland, floodplain
Nutrient status	highly eutrophic
pH	no information
Salinity	fresh
Soil	no information
Water permanence	usually permanent
Summary of main climatic features	Annual averages (Aldergrove, 1971–2000) (www.metoffice.com/climate/uk/averages/19712000/sites/aldergrove.html) Max. daily temperature: 12.5° C Min. daily temperature: 5.8° C Days of air frost: 39.1 Rainfall: 862.4 mm Hrs. of sunshine: 1313.7

General description of the Physical Features:

Lough Neagh is the largest freshwater lake in the UK, covering an area of 383 sq. km. The lough is very shallow for its size with a mean depth of 8.9 m (at deepest only 34 m). The 125 km shoreline is mostly exposed with wave-beaten rocks and stones but there are also some sheltered, sandy bays with better-developed marginal vegetation including some reedbeds. The smaller Lough Beg (covering 1,125 ha) to the north is essentially a widening of the Lower Bann River downstream of its exit from Lough Neagh, and is very shallow, with a mean depth of 1-2 m. About 200 ha of the west shore is unintensified wet grassland that is largely inundated with floodwater each winter.

17. Physical features of the catchment area:

Describe the surface area, general geology and geomorphological features, general soil types, general land use, and climate (including climate type).

Lough Neagh is situated in the centre of Northern Ireland. It is the largest freshwater lake in the British Isles and is very shallow for its size.

Six major rivers flow into the Lough while the Lower Bann River provides the exit, carrying water from the north end of the Lough at Toome to the sea on the north coast of Northern Ireland.

The rivers flowing into Lough Neagh drain about 43% of Northern Ireland, plus part of County Monaghan in the Republic of Ireland. There is no incursion of seawater into Lough Neagh.

Lough Beg and Portmore Lough are two smaller lakes associated with Lough Neagh. Lough Beg (1,125 ha) lies to the north of Lough Neagh at the start of the Lower Bann River and Portmore Lough (286 ha) flows into the south-east of Lough Neagh.

18. Hydrological values:

Describe the functions and values of the wetland in groundwater recharge, flood control, sediment trapping, shoreline stabilization, etc.

Flood water storage / desynchronisation of flood peaks

19. Wetland types:

Inland wetland

Code	Name	% Area
O	Freshwater lakes: permanent	77.6
Other	Other	16
U	Peatlands (including peat bogs swamps, fens)	4
W	Shrub-dominated wetlands	2.1
Xp	Forested peatland	0.3

20. General ecological features:

Provide further description, as appropriate, of the main habitats, vegetation types, plant and animal communities present in the Ramsar site, and the ecosystem services of the site and the benefits derived from them.

Most of the shoreline and shallow margin of the Lough is exposed to wave action and has a rocky or sandy character. The submerged and floating aquatic vegetation is confirmed to sheltered bays and inlets and includes very extensive stands of fennel-leaved pondweed *Potamogeton pectinatus* and slender-leaved pondweed *P. filiformis* intermixed with smaller quantities of additional species.

Swamp vegetation generally consists of a mosaic of small stands of common spike-rush *Eleocharis palustris*, reedmace *Typha latifolia*, branched bur-reed *Sparganium erectum*, flowering rush *Butomus umbellatus*, bulrush *Scirpus lacustris* and bottle sedge *Carex rostrata*. Locally, large stands of common reed *Phragmites australis* have developed.

The tall fen occurring along the water's edge mostly consists of a thin, generally species-poor band of reed canary-grass *Phalaris arundinacea*, hemlock water dropwort *Oenanthe crocata*, yellow loosestrife *Lysimachia vulgaris* and purple loosestrife *Lythrum salicaria*, but in places there are a number of more uncommon plant species.

Some of the Lough shore is fringed by a fragmented, swampy woodland of alder *Alnus glutinosa* and willow *Salix* spp. related to successive lowerings of water-levels. This woodland is among the best of its type in Northern Ireland. It is extensive and locally contains a diversity of plants including many notable species.

The remainder of the shore is mostly covered by a variety of grassland types ranging from improved and reseeded grassland to species-rich hay meadows, with the most characteristic type being wet marshy grassland with soft rush *Juncus effusus* and brown sedge *Carex disticha* as the most prominent species.

Ecosystem services

21. Noteworthy flora:

Provide additional information on particular species and why they are noteworthy (expanding as necessary on information provided in 12. Justification for the application of the Criteria) indicating, e.g. which species/communities are unique, rare, endangered or biogeographically important, etc. *Do not include here taxonomic lists of species present – these may be supplied as supplementary information to the RIS.*

Nationally important species occurring on the site.**Higher Plants.**

Elatine hydropiper, Spiranthes romanzoffiana, Calamagrostis stricta, Hierochloa odorata, Mentha pulegium, Lathyrus palustris, Frangula alnus, Carex elongata

22. Noteworthy fauna:

Provide additional information on particular species and why they are noteworthy (expanding as necessary on information provided in 12. Justification for the application of the Criteria) indicating, e.g. which species/communities are unique, rare, endangered or biogeographically important, etc., including count data. *Do not include here taxonomic lists of species present – these may be supplied as supplementary information to the RIS.*

Birds**Species currently occurring at levels of national importance:****Species regularly supported during the breeding season:**

Black-headed gull , <i>Larus ridibundus</i> , N & C Europe	3269 apparently occupied nests, representing an average of 6% of the all-Ireland population (Seabird 2000 Census)
Lesser black-backed gull , <i>Larus fuscus graellsii</i> , W Europe/Mediterranean/W Africa	451 apparently occupied nests, representing an average of 8.6% of the all-Ireland population (Seabird 2000 Census)
Common tern , <i>Sterna hirundo hirundo</i> , N & E Europe	93 apparently occupied nests, representing an average of 3% of the all-Ireland population (Seabird 2000 Census)
Species with peak counts in spring/autumn:	
Great crested grebe , <i>Podiceps cristatus cristatus</i> , NW Europe	1227 individuals, representing an average of 35% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Gadwall , <i>Anas strepera strepera</i> , NW Europe	126 individuals, representing an average of 21% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Mallard , <i>Anas platyrhynchos platyrhynchos</i> , NW Europe	5136 individuals, representing an average of 10.2% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Red-breasted merganser , <i>Mergus serrator</i> , NW & C Europe	25 individuals, representing an average of 1.2% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Common coot , <i>Fulica atra atra</i> , NW Europe	5680 individuals, representing an average of 22.7% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Lesser black-backed gull , <i>Larus fuscus graellsii</i> ,	1174 individuals, representing an average of 1.6% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Species with peak counts in winter:	
Little grebe , <i>Tachybaptus ruficollis ruficollis</i> , Europe to E Urals, NW Africa	355 individuals, representing an average of 7.1% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Common shelduck , <i>Tadorna tadorna</i> , NW Europe	138 individuals, representing an average of 1.9% of the all-Ireland population (5 year peak mean 1998/9-2002/3)

Eurasian wigeon , <i>Anas penelope</i> , NW Europe	3012 individuals, representing an average of 2.4% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Eurasian teal , <i>Anas crecca</i> , NW Europe	1878 individuals, representing an average of 2.8% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
European golden plover , <i>Pluvialis apricaria apricaria</i> , P. a. altifrons Iceland & Faroes/E Atlantic	8249 individuals, representing an average of 4.1% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Northern lapwing , <i>Vanellus vanellus</i> , Europe - breeding	10968 individuals, representing an average of 4.3% of the all-Ireland population (5 year peak mean 1998/9-2002/3)
Mew gull , <i>Larus canus canus</i> , Europe to N Africa	765 individuals, representing an average of 1.1% of the all-Ireland population (5 year peak mean 1998/9-2002/3)

Species Information

Assemblage.

During the breeding season the site supports a diverse assemblage of waterfowl, including: *Larus ridibundus*, *Podiceps cristatus*, *Anas strepera*, *Tringa totanus*, *Gallinago gallinago*, *Aythya fuligula*, *Aythya ferina*, *Anas clypeata*, *Larus fuscus* and *Larus canus*.

Pollan *Coregonus autumnalis*

23. Social and cultural values:

Describe if the site has any general social and/or cultural values e.g. fisheries production, forestry, religious importance, archaeological sites, social relations with the wetland, etc. Distinguish between historical/archaeological/religious significance and current socio-economic values.

- Aesthetic
- Environmental education/ interpretation
- Fisheries production
- Livestock grazing
- Non-consumptive recreation
- Scientific research
- Sport fishing
- Sport hunting
- Tourism
- Traditional cultural
- Transportation/navigation

b) Is the site considered of international importance for holding, in addition to relevant ecological values, examples of significant cultural values, whether material or non-material, linked to its origin, conservation and/or ecological functioning? No

If Yes, describe this importance under one or more of the following categories:

- i) sites which provide a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and use that maintain the ecological character of the wetland:
- ii) sites which have exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland:

- iii) sites where the ecological character of the wetland depends on the interaction with local communities or indigenous peoples:
- iv) sites where relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological character of the wetland:

24. Land tenure/ownership:

Ownership category	On-site	Off-site
Non-governmental organisation (NGO)	+	
Local authority, municipality etc.	+	
Private	+	
Public/communal	+	

25. Current land (including water) use:

Activity	On-site	Off-site
Nature conservation	+	
Tourism	+	
Recreation	+	
Current scientific research	+	
Fishing: commercial	+	
Fishing: recreational/sport	+	
Rough or shifting grazing	+	
Hunting: recreational/sport	+	
Sewage treatment/disposal	+	
Flood control	+	
Mineral exploration (excl. hydrocarbons)	+	
Domestic water supply	+	
Non-urbanised settlements		+

26. Factors (past, present or potential) adversely affecting the site's ecological character, including changes in land (including water) use and development projects:

Explanation of reporting category:

1. *Those factors that are still operating, but it is unclear if they are under control, as there is a lag in showing the management or regulatory regime to be successful.*
2. *Those factors that are not currently being managed, or where the regulatory regime appears to have been ineffective so far.*

NA = Not Applicable because no factors have been reported.

Adverse Factor Category	Reporting Category	Description of the problem (Newly reported Factors only)	On-Site	Off-Site	Major Impact?

Eutrophication	2	The Lough drains some 40% of Northern Ireland and has been subject to severe eutrophication as a result of increased nutrient inputs from agricultural run-off and general domestic sewage from catchment housing and other developments.	+		+
Pollution – agricultural fertilisers	2	The Lough drains some 40% of Northern Ireland and has been subject to severe eutrophication as a result of increased nutrient inputs from agricultural run-off and general domestic sewage from catchment housing and other developments.	+		+

For category 2 factors only.

What measures have been taken / are planned / regulatory processes invoked, to mitigate the effect of these factors?

Eutrophication - Phosphate-stripping at appropriate sewage treatment works had begun to address the issue of eutrophication, but the nutrient problem has now been demonstrated to be predominantly due to non-point, agricultural, sources. Water Catchment Management Plan will be developed in context of the Water Framework Directive.

Pollution – agricultural fertilisers - Phosphate-stripping at appropriate sewage treatment works had begun to address the issue of eutrophication, but the nutrient problem has now been demonstrated to be predominantly due to non-point, agricultural, sources. Water Catchment Management Plan will be developed in context of the Water Framework Directive.

Is the site subject to adverse ecological change? YES

27. Conservation measures taken:

List national category and legal status of protected areas, including boundary relationships with the Ramsar site; management practices; whether an officially approved management plan exists and whether it is being implemented.

Conservation measure	On-site	Off-site
Site/ Area of Special Scientific Interest (SSSI/ASSI)	+	
National Nature Reserve (NNR)	+	
Special Protection Area (SPA)	+	
Land owned by a non-governmental organisation for nature conservation	+	
Site management statement/plan implemented	+	
Special Area of Conservation (SAC)	+	

b) Describe any other current management practices:

The management of Ramsar sites in the UK is determined by either a formal management plan or through other management planning processes, and is overseen by the relevant statutory conservation agency. Details of the precise management practises are given in these documents.

28. Conservation measures proposed but not yet implemented:

e.g. management plan in preparation; official proposal as a legally protected area, etc.

No information available

29. Current scientific research and facilities:

e.g. details of current research projects, including biodiversity monitoring; existence of a field research station, etc.

Fauna.

Numbers of migratory birds and wildfowl and waders are monitored annually as part of the national Irish Wetland Birds Survey (I-WEBS) organised by the IWC Birdwatch Ireland, the National Parks and Wildlife Service (Ireland) and the Wildfowl and Wetlands Trust.

Miscellaneous.

The University of Ulster has a freshwater research laboratory on the shores of Lough Neagh.

30. Current communications, education and public awareness (CEPA) activities related to or benefiting the site:

e.g. visitor centre, observation hides and nature trails, information booklets, facilities for school visits, etc.

The Lough Neagh Discovery Centre is located on the southern shores of Lough Neagh and is run by Craigavon Borough Council. School groups and other incidental visitors are also catered for at the nearby Environment and Heritage Service Warden's office/information centre.

31. Current recreation and tourism:

State if the wetland is used for recreation/tourism; indicate type(s) and their frequency/intensity.

Activities, Facilities provided and Seasonality.

There is regular use of parts of the site for informal recreation.

32. Jurisdiction:

Include territorial, e.g. state/region, and functional/sectoral, e.g. Dept. of Agriculture/Dept. of Environment, etc.

Department of the Environment (Northern Ireland), Environment and Heritage Service,
Commonwealth House, Castle Street, Belfast, Northern Ireland, BT1 1GU

33. Management authority:

Provide the name and address of the local office(s) of the agency(ies) or organisation(s) directly responsible for managing the wetland. Wherever possible provide also the title and/or name of the person or persons in this office with responsibility for the wetland.

Department of the Environment (Northern Ireland), Environment and Heritage Service,
Commonwealth House, Castle Street, Belfast, Northern Ireland, BT1 1GU

34. Bibliographical references:

Scientific/technical references only. If biogeographic regionalisation scheme applied (see 15 above), list full reference citation for the scheme.

Site-relevant references

Cranswick, PA, Waters, RJ, Musgrove, AJ & Pollitt, MS (1997) *The Wetland Bird Survey 1995–96: wildfowl and wader counts*. British Trust for Ornithology, Wildfowl and Wetlands Trust, Royal Society for the Protection of Birds & Joint Nature Conservation Committee, Slimbridge

Crowe, O (2005) *Ireland's wetlands and their waterbirds: status and distribution*. BirdWatch Ireland, Newcastle, Co. Wicklow

Musgrove, AJ, Pollitt, MS, Hall, C, Hearn, RD, Holloway, SJ, Marshall, PE, Robinson, JA & Cranswick, PA (2001) *The Wetland Bird Survey 1999–2000: wildfowl and wader counts*. British Trust for Ornithology, Wildfowl and Wetlands Trust, Royal Society for the Protection of Birds & Joint Nature Conservation Committee, Slimbridge.
www.wwt.org.uk/publications/default.asp?PubID=14

Smart, M (1989) *Ramsar Advisory Missions: Report No. 10: Lough Neagh / Lough Beg, Northern Ireland, UK (1989)*. Ramsar Convention Bureau, Gland. www.ramsar.org/ram_rpt_10e.htm

Stroud, DA, Chambers, D, Cook, S, Buxton, N, Fraser, B, Clement, P, Lewis, P, McLean, I, Baker, H & Whitehead, S (eds.) (2001) *The UK SPA network: its scope and content*. Joint Nature Conservation Committee, Peterborough (3 vols.)
www.jncc.gov.uk/UKSPA/default.htm

Way, LS, Grice, P, MacKay, A, Galbraith, CA, Stroud, DA & Pienkowski, MW (1993) *Ireland's Internationally Important Bird Sites: a review of sites for the EC Special Protection Area network*. Joint Nature Conservation Committee, Peterborough, for Department of the Environment (Northern Ireland), Belfast, and Irish Wildlife Service, Dublin

Wood, RB & Smith, RV (eds.) (1993) *Lough Neagh: The ecology of a multipurpose water resource*. Kluwer, Dordrecht (Monographiae Biologicae, No. 69)

Wolfe-Murphy, SA, Lawrie, EW, Smith, SJ & Gibson, CE (1993) *Northern Ireland Lakes Survey*. Unpublished report to Northern Ireland Department of Environment, Countryside and Wildlife, Belfast

Please return to: **Ramsar Secretariat, Rue Mauverney 28, CH-1196 Gland, Switzerland**
Telephone: **+41 22 999 0170** • Fax: **+41 22 999 0169** • email: **ramsar@ramsar.org**