

Appendix 2: Percentage area of standing water (adjusted) and mean Trophic Ranking Score (TRS) for each 10x10 km square in Britain.

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
HP40	0.77	5.36	HY20	0.22	6.80	NB14	0.79	7.13	NC33	6.90	5.40
HP50	1.78	6.84	HY21	18.78	7.62	NB20	0.72	7.22	NC34	2.73	5.15
HP51	4.30	6.44	HY22	5.98	7.63	NB21	2.39	5.19	NC35	0.44	5.71
HP60	0.30	5.69	HY23	0.11		NB22	18.36	5.87	NC36	2.02	6.78
HP61	1.41	6.34	HY30	1.69	7.72	NB23	6.92	5.90	NC37	0.11	6.72
HT93	0.11	6.57	HY31	3.39	7.60	NB24	3.87	6.79	NC40	0.51	6.50
HT94	0.11	4.88	HY32	2.83	7.60	NB25	0.11		NC41	10.34	5.93
HU06	0.11		HY33	2.91	7.90	NB30	2.76	5.38	NC42	7.96	5.14
HU14	0.11		HY34	1.28	8.35	NB31	6.44	5.42	NC43	2.31	5.14
HU15	0.62	6.65	HY35	0.11		NB32	8.80	6.47	NC44	1.46	5.54
HU16	0.76	5.88	HY40	0.29	8.03	NB33	5.28	5.65	NC45	7.58	6.38
HU24	1.37	6.25	HY41	0.40	7.62	NB34	4.93	5.76	NC46	0.79	6.60
HU25	5.22	6.48	HY42	0.31	7.56	NB35	3.60	6.57	NC50	6.40	5.78
HU26	0.11	7.25	HY43	0.29	7.72	NB40	0.11		NC51	11.14	5.93
HU27	0.65	6.02	HY44	0.79	7.90	NB41	4.02	5.70	NC52	1.10	5.64
HU28	0.90	6.18	HY45	2.25	8.03	NB42	3.84	5.79	NC53	2.73	5.71
HU30	0.11	8.50	HY50	0.91	7.74	NB43	0.80	6.43	NC54	5.45	5.75
HU31	2.52	7.26	HY51	0.61	7.51	NB44	3.70	6.06	NC55	0.50	6.28
HU32	0.31	6.55	HY52	0.11	7.56	NB45	1.57	5.73	NC56	0.76	6.11
HU33	0.26	6.05	HY53	0.48	7.22	NB46	1.09	6.56	NC60	2.37	6.32
HU34	2.18	6.37	HY54	0.11		NB52	0.11		NC61	1.69	5.69
HU35	3.94	6.45	HY55	0.11	7.57	NB53	0.86	6.25	NC62	3.22	5.34
HU36	1.23	5.46	HY60	0.11		NB54	2.71	6.29	NC63	4.80	5.80
HU37	2.71	6.43	HY61	0.11	6.63	NB55	3.94		NC64	7.46	5.96
HU38	2.56	5.76	HY62	1.09	7.99	NB56	0.23	7.04	NC65	3.89	5.66
HU39	1.12	6.03	HY63	0.39	8.17	NB90	0.11	6.80	NC66	0.78	6.20
HU40	0.11		HY64	1.22	7.77	NB91	2.39	5.99	NC70	1.04	6.18
HU41	0.76	7.07	HY73	0.11		NC00	3.62	5.88	NC71	1.46	6.14
HU42	0.11	6.93	HY74	1.90	8.60	NC01	8.87	5.77	NC72	0.62	5.41
HU43	0.92	6.73	HY75	1.12	8.07	NC02	3.87	6.48	NC73	11.10	5.69
HU44	3.23	7.57	HZ16	0.11		NC03	3.46	6.34	NC74	1.78	5.91
HU45	2.97	5.95	HZ17	0.11	5.00	NC10	3.93	5.31	NC75	2.99	6.30
HU46	1.59	6.05	HZ26	0.11	7.60	NC11	12.18	5.62	NC76	1.25	6.37
HU47	0.54	5.65	HZ27	0.11	6.32	NC12	8.55	5.69	NC80	2.83	6.44
HU48	0.31	6.21	NA64	0.11		NC13	3.60	6.07	NC81	0.11	6.60
HU49	2.58	5.90	NA74	0.11		NC14	5.18	6.11	NC82	0.37	6.14
HU53	1.41	6.41	NA81	0.11		NC15	0.24	4.98	NC83	3.34	6.23
HU54	0.94	6.07	NA90	0.11		NC16	0.93	5.95	NC84	3.16	6.08
HU55	0.84	5.17	NA91	0.44	5.88	NC20	2.14	5.98	NC85	1.05	6.23
HU56	1.95	6.36	NA92	0.56		NC21	5.67	6.36	NC86	1.12	6.08
HU57	1.73	5.42	NA93	0.11		NC22	6.79	6.10	NC90	0.11	7.90
HU58	1.10	6.06	NB00	1.38	5.92	NC23	3.39	5.66	NC91	0.11	7.02
HU59	0.28	6.70	NB01	4.01	5.65	NC24	6.48	5.47	NC92	0.16	6.92
HU66	0.11		NB02	6.95		NC25	4.75	6.06	NC93	1.16	6.39
HU67	0.11	5.81	NB03	3.45	5.61	NC26	2.93	5.80	NC94	1.57	5.83
HU68	0.11	5.00	NB10	1.04	6.32	NC27	0.28	5.27	NC95	1.98	6.06
HU69	0.74	6.81	NB11	7.96	5.73	NC30	1.43	5.98	NC96	0.85	7.05
HU77	0.11		NB12	8.51		NC31	1.90	6.03	ND01	0.11	7.50
HY10	0.11	3.00	NB13	3.08	5.96	NC32	6.31	5.30	ND02	0.11	7.47

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
ND03	0.58	6.76	NF87	7.82	6.70	NG63	0.93	5.50	NH18	1.42	5.69
ND04	5.98	6.00	NF88	0.80	6.42	NG64	0.11	4.00	NH19	2.74	6.03
ND05	4.05	6.57	NF89	0.11	6.25	NG65	0.11	6.75	NH20	5.85	5.37
ND06	3.10	7.06	NF95	2.35	5.59	NG66	0.11		NH21	1.04	5.80
ND07	1.00	6.99	NF96	8.96	5.96	NG70	0.15	6.04	NH22	4.46	6.30
ND12	0.16	7.27	NF97	2.57	6.05	NG71	0.11	5.95	NH23	4.00	5.86
ND13	0.17	6.61	NF98	1.01	7.56	NG72	0.42	5.87	NH24	1.03	5.69
ND14	1.82	6.71	NF99	1.47	6.40	NG73	0.73	6.25	NH25	1.21	6.02
ND15	1.51	7.07	NG07	0.11		NG74	1.45	6.25	NH26	8.18	5.90
ND16	0.17	7.47	NG08	4.77	6.51	NG75	2.06	5.75	NH27	3.58	5.43
ND17	1.19	6.08	NG09	1.45	6.36	NG76	0.54	5.61	NH28	0.48	5.75
ND19	0.11	5.25	NG10	0.11		NG77	3.01	5.84	NH29	1.63	5.44
ND23	0.24	7.34	NG13	0.11	6.75	NG78	0.83	5.98	NH30	3.24	6.42
ND24	0.11	7.00	NG14	0.75	6.57	NG79	4.11	5.62	NH31	1.80	5.90
ND25	3.86	7.46	NG15	0.11	6.83	NG80	0.76	5.62	NH32	3.42	6.13
ND26	0.88	7.39	NG18	0.36		NG81	0.28	5.89	NH33	1.07	6.29
ND27	2.44	7.15	NG19	4.10	5.96	NG82	0.56	6.04	NH34	3.49	6.06
ND28	0.11	5.67	NG20	0.11	7.08	NG83	1.18	6.22	NH35	3.83	6.10
ND29	0.98	6.37	NG23	0.11	6.75	NG84	3.20	6.21	NH36	5.50	6.22
ND33	0.11	7.63	NG24	0.11	6.43	NG85	3.54	6.49	NH37	5.65	5.65
ND34	2.74	7.04	NG25	0.16	6.37	NG86	4.96	5.45	NH38	1.10	5.20
ND35	0.81	7.67	NG26	0.11	6.39	NG87	12.66	6.03	NH39	0.14	6.60
ND36	0.16	6.39	NG29	1.98	5.77	NG88	4.78	5.83	NH40	1.47	5.64
ND37	0.11	6.75	NG30	0.33	5.97	NG89	2.88	5.93	NH41	18.00	5.96
ND38	0.11	7.38	NG31	0.11	7.06	NG90	5.35	5.33	NH42	5.69	6.40
ND39	0.11	6.78	NG32	0.32	6.16	NG91	0.22	6.14	NH43	2.56	6.60
ND47	0.11		NG33	0.44	6.13	NG92	0.72	6.30	NH44	0.89	6.65
ND48	0.26	7.46	NG34	0.59	6.16	NG93	0.47	5.67	NH45	3.08	7.21
ND49	0.33	7.64	NG35	0.11	6.27	NG94	1.42	5.89	NH46	0.65	6.16
ND59	0.11		NG36	0.11	7.28	NG95	1.42	5.11	NH47	2.98	5.91
NF56	0.11		NG37	0.11	7.00	NG96	8.14	5.25	NH48	0.34	5.86
NF58	0.11		NG38	0.11		NG97	19.34	5.14	NH49	0.33	7.07
NF60	0.69	7.37	NG39	0.11		NG98	7.55	5.11	NH50	0.35	6.50
NF61	0.11		NG40	0.11		NG99	0.56	7.17	NH51	3.66	6.00
NF66	0.11	7.46	NG41	0.50	6.04	NH00	11.41	5.00	NH52	17.31	6.86
NF67	0.11	7.75	NG42	1.20	5.76	NH01	1.99	5.10	NH53	15.67	6.67
NF68	0.11		NG43	0.39	6.06	NH02	1.78	5.64	NH54	0.11	7.06
NF70	0.41	6.81	NG44	0.56	6.33	NH03	1.92	5.65	NH55	0.83	7.31
NF71	2.70	7.15	NG45	0.32	6.41	NH04	1.28	6.38	NH56	0.18	7.06
NF72	8.69	7.29	NG46	0.45	6.57	NH05	2.20	5.82	NH57	6.71	5.95
NF73	12.83	7.36	NG47	0.24	6.82	NH06	3.25	5.42	NH58	0.28	6.52
NF74	16.39	7.81	NG49	0.11	6.71	NH07	5.27	4.97	NH59	0.23	6.50
NF75	7.33	7.59	NG50	1.42	6.22	NH08	5.40	5.71	NH60	0.18	5.55
NF76	3.52	7.38	NG51	0.50	6.56	NH09	0.67	5.65	NH61	0.11	5.69
NF77	3.75	7.64	NG52	0.78	6.32	NH10	14.43	5.14	NH62	2.44	6.55
NF80	0.11		NG53	0.37	6.52	NH11	3.58	5.36	NH63	8.56	6.63
NF81	1.36	5.92	NG54	0.38	6.50	NH12	4.38	5.65	NH64	0.11	7.60
NF82	2.32	6.46	NG55	3.13	6.36	NH13	7.12	5.41	NH65	0.11	7.42
NF83	2.72	5.95	NG56	2.29	6.15	NH14	9.03	5.05	NH66	0.11	7.58
NF84	6.82	6.63	NG60	1.77	6.13	NH15	3.59	5.56	NH67	0.26	7.18
NF85	6.15	6.08	NG61	1.21	6.53	NH16	4.31	4.75	NH68	0.40	7.11
NF86	19.91	6.25	NG62	0.89	6.47	NH17	2.27	5.25	NH69	2.53	6.28

10 km square	% area water	Mean TRS
NH70	0.26	6.53
NH71	0.11	6.10
NH72	0.11	6.40
NH73	0.98	6.78
NH74	0.11	7.63
NH75	0.11	7.60
NH76	0.11	7.56
NH77	0.17	7.21
NH78	0.51	7.33
NH79	0.61	6.31
NH80	2.67	6.52
NH81	0.13	6.61
NH82	0.18	6.43
NH83	0.11	6.84
NH84	0.40	6.41
NH85	0.38	7.51
NH86	0.11	8.75
NH87	1.99	7.24
NH88	0.97	7.21
NH89	0.11	7.34
NH90	1.76	6.42
NH91	1.26	6.44
NH92	0.19	6.65
NH93	2.59	6.36
NH94	0.42	6.20
NH95	0.70	7.43
NH96	0.11	5.83
NH97	0.11	
NH98	0.11	7.75
NJ00	0.91	5.71
NJ01	0.11	6.18
NJ02	0.11	6.98
NJ03	0.17	6.73
NJ04	0.39	6.85
NJ05	0.39	7.56
NJ06	0.11	7.84
NJ10	0.41	6.14
NJ11	0.11	6.73
NJ12	0.11	6.83
NJ13	0.11	6.79
NJ14	0.17	6.73
NJ15	0.53	7.11
NJ16	0.11	7.86
NJ17	0.11	
NJ20	0.11	6.71
NJ21	0.11	7.15
NJ22	0.11	6.79
NJ23	0.11	7.38
NJ24	0.11	7.25
NJ25	0.28	7.37
NJ26	0.74	7.91
NJ27	0.11	8.15

10 km square	% area water	Mean TRS
NJ30	0.11	7.55
NJ31	0.11	7.13
NJ32	0.11	6.50
NJ33	0.11	7.19
NJ34	0.45	6.94
NJ35	0.11	7.21
NJ36	0.11	7.57
NJ40	0.72	6.85
NJ41	0.11	7.52
NJ42	0.11	6.75
NJ43	0.11	7.08
NJ44	0.11	7.58
NJ45	0.11	7.73
NJ46	0.11	7.67
NJ50	0.12	7.36
NJ51	0.11	7.49
NJ52	0.11	7.07
NJ53	0.11	7.63
NJ54	0.11	7.50
NJ55	0.11	7.29
NJ56	0.11	7.91
NJ60	0.11	7.46
NJ61	0.11	7.42
NJ62	0.11	7.49
NJ63	0.11	7.73
NJ64	0.11	7.63
NJ65	0.11	7.89
NJ66	0.11	8.13
NJ70	1.17	7.48
NJ71	0.11	7.54
NJ72	0.11	7.51
NJ73	0.22	7.36
NJ74	0.11	7.64
NJ75	0.11	7.82
NJ76	0.11	8.32
NJ80	0.11	7.39
NJ81	0.11	7.53
NJ82	0.11	7.27
NJ83	0.30	7.67
NJ84	0.11	7.97
NJ85	0.25	7.56
NJ86	0.11	7.56
NJ90	0.32	7.63
NJ91	0.31	7.11
NJ92	0.11	7.55
NJ93	0.11	7.72
NJ94	0.24	7.59
NJ95	0.11	7.63
NJ96	0.17	7.95
NK02	0.11	7.45
NK03	0.38	8.17
NK04	0.11	7.57

10 km square	% area water	Mean TRS
NK05	2.37	7.83
NK06	0.11	8.19
NK13	0.11	
NK14	0.11	7.87
NK15	0.11	8.50
NL57	0.11	
NL58	0.11	7.00
NL68	0.11	
NL69	0.37	7.40
NL79	0.11	6.00
NL93	0.11	7.10
NL94	3.02	7.16
NM04	0.63	7.16
NM05	0.11	7.32
NM14	0.11	
NM15	0.44	6.79
NM16	0.11	7.38
NM19	0.11	
NM21	0.11	6.97
NM22	0.11	6.46
NM23	0.11	6.45
NM24	0.11	7.58
NM25	1.62	6.57
NM26	1.23	6.86
NM29	0.11	
NM31	0.11	6.86
NM32	0.82	6.87
NM33	0.11	6.73
NM34	0.11	6.98
NM35	0.11	7.01
NM37	0.11	
NM38	0.11	
NM39	0.84	6.14
NM40	0.11	
NM41	0.11	6.63
NM42	0.67	6.42
NM43	0.11	6.85
NM44	2.96	6.47
NM45	1.98	6.91
NM46	0.39	6.47
NM47	0.11	5.63
NM48	0.47	6.59
NM49	0.53	4.63
NM51	0.11	
NM52	0.65	6.44
NM53	3.37	6.13
NM54	1.09	6.55
NM55	0.60	7.12
NM56	1.10	6.53
NM57	0.11	6.51
NM59	0.11	4.13
NM60	0.11	7.83

10 km square	% area water	Mean TRS
NM61	0.11	9.50
NM62	2.14	6.37
NM63	0.35	6.11
NM64	0.11	6.30
NM65	2.20	6.25
NM66	1.60	6.40
NM67	1.12	6.84
NM68	0.52	6.63
NM69	10.55	6.71
NM70	0.31	7.24
NM71	0.32	7.45
NM72	0.21	6.10
NM73	0.40	6.89
NM74	1.07	6.53
NM75	0.25	6.08
NM76	6.49	6.23
NM77	3.40	6.63
NM78	4.62	6.33
NM79	18.11	6.84
NM80	2.54	7.29
NM81	2.86	6.87
NM82	2.69	7.21
NM83	0.75	7.22
NM84	0.39	7.26
NM85	0.43	6.18
NM86	0.79	6.21
NM87	10.64	6.39
NM88	5.79	5.90
NM89	5.17	6.42
NM90	10.77	5.90
NM91	10.98	6.69
NM92	2.53	6.80
NM93	1.03	6.68
NM94	0.50	7.19
NM95	0.49	6.36
NM96	0.51	6.46
NM97	0.33	6.29
NM98	0.56	6.45
NM99	2.62	6.04
NN00	0.64	6.34
NN01	4.90	6.90
NN02	14.40	6.69
NN03	0.15	7.43
NN04	0.52	6.53
NN05	0.11	7.61
NN06	0.62	7.29
NN07	0.11	6.22
NN08	0.11	5.60
NN09	9.73	6.22
NN10	0.11	6.69
NN11	0.78	6.76
NN12	6.90	6.47

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
NN13	0.11	5.66	NN65	9.54	6.71	NO17	0.23	6.42	NO74	0.11	
NN14	0.27	6.65	NN66	3.12	5.39	NO18	0.52	6.05	NO75	0.11	8.25
NN15	0.36	6.18	NN67	1.13	5.63	NO19	0.11	6.51	NO76	0.11	7.95
NN16	0.11	5.81	NN68	3.18	6.41	NO20	1.40	7.51	NO77	0.11	7.74
NN17	0.23	7.00	NN69	0.28	6.00	NO21	0.76	8.00	NO78	0.11	7.19
NN18	6.64	6.34	NN70	0.33	7.67	NO22	0.11	8.66	NO79	0.11	7.37
NN19	3.57	5.83	NN71	0.11	6.88	NO23	0.58	7.57	NO86	0.11	
NN20	0.11	7.19	NN72	1.36	7.10	NO24	0.28	7.89	NO87	0.11	7.93
NN21	1.86	5.33	NN73	0.94	5.58	NO25	2.23	7.41	NO88	0.11	7.75
NN22	0.11	5.96	NN74	9.75	7.11	NO26	1.26	6.85	NO89	0.11	7.22
NN23	0.11	6.23	NN75	2.46	6.26	NO27	0.18	6.50	NO99	0.11	7.28
NN24	2.50	5.87	NN76	0.70	5.88	NO28	2.91	5.59	NR15	0.11	6.43
NN25	1.41	5.32	NN77	0.36	5.25	NO29	0.11	7.05	NR16	0.11	10.00
NN26	5.56	4.80	NN78	1.58	5.39	NO30	0.56	7.99	NR24	1.17	6.76
NN27	0.11	6.25	NN79	0.17	6.70	NO31	0.11	8.11	NR25	0.40	6.49
NN28	5.78	6.28	NN80	0.55	7.77	NO32	0.11	7.74	NR26	3.27	6.83
NN29	7.99	6.00	NN81	0.70	7.67	NO33	0.54	8.02	NR27	1.30	6.71
NN30	15.04	5.73	NN82	1.76	7.13	NO34	0.23	7.81	NR33	0.11	
NN31	5.02	6.33	NN83	1.63	6.80	NO35	0.32	7.52	NR34	1.33	6.54
NN32	0.11	5.65	NN84	0.55	7.08	NO36	0.11	6.87	NR35	0.28	6.52
NN33	1.00	5.56	NN85	5.48	6.68	NO37	0.64	6.51	NR36	1.57	6.84
NN34	3.83	5.16	NN86	0.76	6.76	NO38	0.20	6.13	NR37	0.44	6.86
NN35	7.80	5.27	NN87	0.18	5.92	NO39	0.11	6.41	NR38	0.11	6.25
NN36	8.27	4.90	NN88	0.12	5.50	NO40	0.54	8.34	NR39	1.10	6.74
NN37	6.51	5.08	NN89	0.11	6.05	NO41	0.60	7.98	NR44	0.36	6.61
NN38	1.15	5.66	NN90	1.96	7.31	NO42	0.25	7.85	NR45	1.00	6.26
NN39	0.61	6.42	NN91	0.31	7.43	NO43	0.11	7.84	NR46	1.25	6.85
NN40	11.91	6.04	NN92	0.38	7.77	NO44	0.11	8.07	NR47	1.46	6.40
NN41	5.75	6.76	NN93	0.11	7.10	NO45	0.69	7.94	NR48	0.11	
NN42	1.33	6.29	NN94	1.29	7.71	NO46	0.34	7.50	NR49	0.11	
NN43	0.11	5.55	NN95	0.94	7.06	NO47	1.00	6.45	NR50	0.11	
NN44	5.21	4.96	NN96	0.45	6.73	NO48	0.15	5.58	NR51	0.11	6.83
NN45	2.50	5.53	NN97	0.55	6.68	NO49	0.98	6.47	NR56	0.12	6.38
NN46	3.84	5.04	NN98	0.20	5.64	NO50	0.23	8.10	NR57	1.11	6.45
NN47	1.03	4.96	NN99	1.10	5.32	NO51	0.11	7.93	NR58	3.12	5.96
NN48	8.70	5.88	NO00	0.27	7.67	NO52	0.11		NR59	1.18	5.48
NN49	0.39	5.21	NO01	0.24	7.79	NO53	0.92	8.20	NR60	0.11	7.68
NN50	8.58	6.72	NO02	0.51	7.57	NO54	0.33	7.72	NR61	0.18	7.32
NN51	3.44	6.70	NO03	0.34	7.06	NO55	0.90	7.66	NR62	0.49	7.60
NN52	1.72	6.43	NO04	2.29	7.25	NO56	0.11	7.74	NR63	0.11	7.02
NN53	2.61	6.68	NO05	1.71	6.77	NO57	0.11	7.02	NR64	0.11	6.95
NN54	1.07	6.00	NO06	0.27	6.70	NO58	0.11	6.21	NR65	0.11	7.23
NN55	10.73	5.68	NO07	0.27	4.69	NO59	0.33	7.24	NR67	0.11	7.27
NN56	6.90	5.25	NO08	0.11	6.58	NO60	0.11	7.91	NR68	0.99	6.47
NN57	10.84	5.56	NO09	0.19	5.46	NO61	0.11	8.25	NR69	1.12	5.91
NN58	3.88	6.09	NO10	12.09	7.52	NO63	0.11	8.47	NR70	0.11	7.94
NN59	1.07	5.83	NO11	0.52	7.90	NO64	0.11	8.27	NR71	0.25	7.61
NN60	0.44	6.76	NO12	0.18	7.91	NO65	0.19	7.89	NR72	1.19	7.18
NN61	0.14	5.52	NO13	0.11	7.73	NO66	0.26	7.96	NR73	0.82	7.41
NN62	9.17	6.44	NO14	2.12	7.39	NO67	0.40	7.39	NR74	0.62	6.74
NN63	13.57	6.02	NO15	0.11	7.14	NO68	0.11	6.23	NR75	2.16	6.91
NN64	1.58	4.89	NO16	0.59	7.08	NO69	0.11	6.74	NR76	1.17	7.00

10 km square	% area water	Mean TRS
NR77	0.32	6.65
NR78	1.09	7.21
NR79	0.88	7.15
NR82	0.11	7.11
NR83	0.11	7.36
NR84	0.13	6.75
NR85	1.10	7.55
NR86	0.21	7.50
NR87	1.11	6.74
NR88	2.07	6.68
NR89	0.60	7.19
NR92	0.18	7.81
NR93	0.20	6.79
NR94	0.55	6.17
NR95	0.11	7.24
NR96	0.11	6.91
NR97	0.64	7.83
NR98	0.24	6.65
NR99	2.65	5.93
NS00	0.11	
NS01	0.11	
NS02	0.19	7.48
NS03	0.11	7.88
NS04	0.11	7.42
NS05	1.17	7.72
NS06	2.19	7.81
NS07	0.18	7.25
NS08	1.12	7.07
NS09	0.21	7.21
NS10	0.11	
NS14	0.11	8.27
NS15	0.11	7.35
NS16	0.11	7.42
NS17	0.23	6.39
NS18	1.29	7.26
NS19	3.58	6.96
NS20	0.40	7.47
NS21	0.11	7.59
NS22	0.11	9.00
NS23	0.11	
NS24	0.88	7.78
NS25	1.64	7.30
NS26	0.34	7.53
NS27	4.41	7.27
NS28	0.30	7.31
NS29	0.18	7.08
NS30	0.69	7.55
NS31	0.75	7.89
NS32	0.17	7.98
NS33	0.24	7.78
NS34	0.11	7.84
NS35	3.57	7.79

10 km square	% area water	Mean TRS
NS36	0.44	7.68
NS37	0.58	7.69
NS38	19.97	6.72
NS39	24.38	6.80
NS40	1.21	6.79
NS41	0.41	7.59
NS42	0.11	7.79
NS43	0.11	8.03
NS44	0.53	7.79
NS45	2.71	7.83
NS46	0.40	7.64
NS47	2.19	7.83
NS48	7.08	7.38
NS49	3.71	7.16
NS50	0.24	5.72
NS51	0.28	7.21
NS52	0.11	7.63
NS53	0.11	7.78
NS54	1.70	7.04
NS55	2.19	7.11
NS56	0.18	8.11
NS57	1.62	7.86
NS58	0.11	7.68
NS59	0.64	7.20
NS60	0.57	7.00
NS61	0.37	7.80
NS62	0.11	7.63
NS63	0.40	7.04
NS64	0.11	7.06
NS65	0.19	8.13
NS66	0.69	8.02
NS67	0.46	8.03
NS68	3.41	7.70
NS69	0.27	7.05
NS70	0.11	7.47
NS71	0.17	6.60
NS72	0.39	7.52
NS73	0.53	7.92
NS74	0.11	8.47
NS75	1.17	7.58
NS76	0.54	8.45
NS77	0.58	7.69
NS78	3.19	6.89
NS79	0.39	7.73
NS80	0.34	7.56
NS81	0.19	6.69
NS82	0.11	7.70
NS83	0.51	7.67
NS84	0.16	7.70
NS85	0.16	7.60
NS86	2.91	7.30
NS87	0.72	7.54

10 km square	% area water	Mean TRS
NS88	0.39	7.78
NS89	0.34	8.14
NS90	2.00	6.70
NS91	0.11	6.97
NS92	0.11	7.36
NS93	0.11	7.72
NS94	0.31	7.50
NS95	0.36	7.19
NS96	0.11	8.05
NS97	0.36	8.14
NS98	1.35	7.90
NS99	0.79	8.11
NT00	0.11	6.96
NT01	0.65	7.26
NT02	1.54	7.07
NT03	0.11	7.47
NT04	0.11	7.55
NT05	1.72	7.09
NT06	1.03	7.43
NT07	0.51	8.24
NT08	1.12	7.74
NT09	0.94	7.17
NT10	0.11	5.25
NT11	1.05	5.96
NT12	3.92	7.08
NT13	0.11	7.58
NT14	0.11	7.86
NT15	0.96	7.64
NT16	1.40	7.49
NT17	0.19	8.42
NT18	0.46	8.04
NT19	3.61	8.03
NT20	0.25	7.39
NT21	0.43	7.42
NT22	3.77	7.26
NT23	0.11	7.40
NT24	0.20	7.38
NT25	1.61	7.44
NT26	0.50	7.73
NT27	0.23	8.49
NT28	0.90	8.28
NT29	0.86	8.20
NT30	0.11	7.58
NT31	1.26	7.54
NT32	0.11	7.42
NT33	0.11	7.76
NT34	0.11	7.07
NT35	1.33	7.94
NT36	0.11	8.00
NT37	1.22	8.59
NT39	0.11	7.55
NT40	0.22	7.53

10 km square	% area water	Mean TRS
NT41	0.49	7.38
NT42	0.55	7.84
NT43	0.19	7.85
NT44	0.18	7.55
NT45	0.11	7.30
NT46	0.11	8.13
NT47	0.11	8.15
NT48	0.11	7.83
NT49	0.11	
NT50	0.11	7.60
NT51	0.11	7.93
NT52	0.23	7.68
NT53	0.24	7.82
NT54	0.11	7.92
NT55	0.11	7.98
NT56	0.50	8.08
NT57	0.11	8.16
NT58	0.11	8.21
NT59	0.11	
NT60	0.12	7.86
NT61	0.11	7.99
NT62	0.11	7.91
NT63	0.38	7.66
NT64	0.11	8.07
NT65	0.62	7.92
NT66	1.42	7.60
NT67	0.38	7.99
NT68	0.11	
NT70	1.38	7.96
NT71	0.16	8.06
NT72	0.20	8.12
NT73	0.11	7.96
NT74	0.25	7.89
NT75	0.23	8.30
NT76	0.11	7.45
NT77	0.11	7.95
NT80	0.31	7.76
NT81	0.14	8.07
NT82	0.34	8.00
NT83	0.35	8.14
NT84	0.25	8.76
NT85	0.11	8.17
NT86	0.26	7.82
NT87	0.11	
NT90	0.18	8.01
NT91	0.17	7.40
NT92	0.17	8.27
NT93	0.17	8.16
NT94	0.17	8.40
NT95	0.13	8.44
NT96	0.30	8.25
NU00	0.50	8.27

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
NU01	0.17	8.46	NX48	2.12	6.09	NY17	0.11	8.03	NY69	2.77	7.40
NU02	0.17	8.11	NX49	11.68	5.71	NY18	0.19	7.63	NY70	0.17	7.06
NU03	0.28	7.88	NX54	0.11	7.57	NY19	0.11	7.77	NY71	0.17	7.79
NU04	0.29	8.50	NX55	0.22	7.53	NY20	0.32	6.65	NY72	0.18	7.33
NU05	0.17		NX56	0.91	6.32	NY21	1.61	6.78	NY73	1.12	6.91
NU10	0.25	8.21	NX57	4.71	6.29	NY22	7.37	7.21	NY74	0.17	7.79
NU11	0.17	8.04	NX58	0.80	6.33	NY23	2.24	7.35	NY75	0.17	7.66
NU12	0.17	7.97	NX59	1.48	7.03	NY24	0.22	8.11	NY76	1.11	7.73
NU13	0.17	8.24	NX64	0.11	7.86	NY25	0.32	7.52	NY77	0.18	7.48
NU14	0.66	8.13	NX65	0.23	7.39	NY26	0.13	7.41	NY78	1.19	7.51
NU20	0.47	8.54	NX66	3.43	6.93	NY27	0.22	7.56	NY79	0.17	7.48
NU21	0.17	8.77	NX67	3.53	7.01	NY28	0.21	7.61	NY80	0.23	7.36
NU22	0.17	8.50	NX68	1.84	6.59	NY29	0.57	7.57	NY81	0.17	6.90
NU23	0.17	8.69	NX69	0.42	6.93	NY30	6.20	7.21	NY82	1.09	6.66
NW95	0.11	8.05	NX74	0.11	7.55	NY31	5.81	6.74	NY83	1.71	6.71
NW96	0.74	7.76	NX75	0.44	7.17	NY32	0.17	6.83	NY84	0.21	7.00
NW97	0.11	7.77	NX76	5.34	7.70	NY33	0.17	6.33	NY85	0.17	7.20
NX03	0.11		NX77	0.39	7.09	NY34	0.17	7.58	NY86	0.17	7.66
NX04	0.11	8.08	NX78	0.76	7.08	NY35	0.35	7.85	NY87	0.30	7.81
NX05	0.31	7.63	NX79	0.21	7.80	NY36	0.26	8.22	NY88	0.17	7.84
NX06	0.44	7.68	NX84	0.11	7.79	NY37	0.23	7.70	NY89	0.17	7.53
NX07	0.22	7.60	NX85	0.46	7.60	NY38	0.11	7.22	NY90	0.17	7.75
NX08	0.11	8.10	NX86	0.24	7.66	NY39	0.11	7.81	NY91	2.04	6.88
NX09	0.11	5.75	NX87	2.08	7.55	NY40	0.55	7.24	NY92	1.86	7.44
NX13	0.11	7.69	NX88	0.11	7.47	NY41	5.62	6.40	NY93	0.17	7.57
NX14	0.58		NX89	0.11	7.44	NY42	4.96	7.30	NY94	0.26	7.43
NX15	0.47	7.54	NX90	0.17	6.48	NY43	0.17	7.55	NY95	0.97	7.71
NX16	2.04	6.61	NX91	0.17	7.47	NY44	0.17	7.27	NY96	0.17	8.09
NX17	0.14	5.75	NX92	0.17	8.00	NY45	0.17	8.38	NY97	2.09	8.06
NX18	0.11	7.53	NX93	0.21		NY46	0.17	7.68	NY98	0.69	7.59
NX19	0.11	7.50	NX95	0.11	7.93	NY47	0.16	8.19	NY99	0.37	7.99
NX23	0.11		NX96	1.05	7.35	NY48	0.12	7.80	NZ00	0.17	8.41
NX24	0.11		NX97	0.50	7.84	NY49	0.11	7.61	NZ01	0.21	7.85
NX25	2.10	6.88	NX98	0.11	7.85	NY50	0.17	7.61	NZ02	0.17	8.20
NX26	0.82	7.00	NX99	0.23	7.66	NY51	0.62	7.14	NZ03	0.17	7.83
NX27	1.49	6.05	NY00	0.17	7.20	NY52	0.17	7.37	NZ04	1.12	7.35
NX28	0.25	6.75	NY01	1.42	7.09	NY53	0.42	7.80	NZ05	3.65	7.99
NX29	0.56	7.38	NY02	0.21	7.65	NY54	0.17	8.12	NZ06	0.65	8.31
NX30	0.17	7.71	NY03	0.30	7.92	NY55	0.66	7.50	NZ07	0.30	8.42
NX33	0.11	9.50	NY04	0.17	7.76	NY56	0.23	8.01	NZ08	0.41	8.07
NX34	0.62	8.04	NY05	0.17	6.96	NY57	0.17	6.77	NZ09	0.79	7.95
NX35	1.16	7.08	NY06	0.11	8.66	NY58	0.15	7.22	NZ10	0.17	8.57
NX36	0.31	7.03	NY07	0.20	7.71	NY59	0.11	7.59	NZ11	0.25	8.52
NX37	1.03	6.73	NY08	1.24	7.73	NY60	0.22	7.55	NZ12	0.17	8.54
NX38	0.83	6.59	NY09	0.11	7.16	NY61	0.17	7.80	NZ13	0.29	8.61
NX39	0.49	7.16	NY10	3.24	6.24	NY62	0.17	7.98	NZ14	0.17	8.10
NX40	0.17	7.28	NY11	5.44	6.81	NY63	0.17	7.52	NZ15	0.17	7.79
NX43	0.11	7.79	NY12	1.18	7.12	NY64	0.17	7.56	NZ16	0.17	8.41
NX44	0.11	7.96	NY13	0.17	7.64	NY65	0.41	7.44	NZ17	0.17	8.55
NX45	0.11	7.92	NY14	0.27	7.67	NY66	0.17	7.91	NZ18	0.17	8.35
NX46	0.11	7.29	NY15	0.17	7.81	NY67	0.17	7.02	NZ19	0.25	7.92
NX47	1.74	6.01	NY16	0.12	7.78	NY68	8.85	7.34	NZ20	0.17	8.94

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
NZ21	0.17	8.57	SD08	0.17	7.33	SD70	0.61	8.63	SE22	0.45	8.00
NZ22	0.17	8.40	SD09	0.17	7.57	SD71	1.92	7.95	SE23	0.17	8.73
NZ23	0.17	8.43	SD16	0.17	7.32	SD72	1.20	8.36	SE24	1.27	8.07
NZ24	0.30	8.33	SD17	2.56	7.79	SD73	0.68	8.43	SE25	0.53	8.32
NZ25	0.17	8.17	SD18	0.25	7.51	SD74	0.17	8.47	SE26	0.47	7.97
NZ26	0.17	8.37	SD19	0.55	6.31	SD75	1.61	7.28	SE27	0.29	7.75
NZ27	0.50	8.24	SD20	0.17	8.17	SD76	0.17	7.73	SE28	0.17	8.70
NZ28	0.38	8.51	SD21	0.17	7.17	SD77	0.17	7.52	SE29	0.51	8.25
NZ29	0.23	8.60	SD26	1.68	7.75	SD78	0.17	7.78	SE30	0.34	8.20
NZ30	0.17	8.75	SD27	1.14	8.09	SD79	0.17	7.09	SE31	1.96	8.85
NZ31	0.32	8.39	SD28	0.24	7.23	SD80	0.56	8.45	SE32	0.95	8.25
NZ32	0.17	8.31	SD29	2.63	6.77	SD81	1.32	8.22	SE33	0.37	8.71
NZ33	0.17	8.13	SD30	0.17	8.45	SD82	0.79	8.01	SE34	0.75	8.46
NZ34	0.17	8.27	SD31	0.59	8.31	SD83	0.62	8.45	SE35	0.78	8.11
NZ35	0.17	8.28	SD32	0.17	8.69	SD84	1.14	8.58	SE36	0.35	8.36
NZ36	0.17	8.42	SD33	0.23	8.35	SD85	0.25	8.38	SE37	0.17	8.56
NZ37	0.28	8.38	SD34	0.50	8.55	SD86	0.79	7.76	SE38	0.17	8.95
NZ38	1.22	10.00	SD35	0.17		SD87	0.17	7.25	SE39	0.25	8.42
NZ39	0.17	10.00	SD36	0.17		SD88	0.17	7.25	SE40	0.17	8.59
NZ40	0.17	8.88	SD37	0.17	8.00	SD89	0.17	7.32	SE41	0.30	8.77
NZ41	0.17	8.39	SD38	2.00	7.15	SD90	0.52	8.18	SE42	1.88	8.75
NZ42	0.48	8.54	SD39	13.00	7.16	SD91	2.84	7.90	SE43	0.17	8.60
NZ43	0.69	8.18	SD40	0.17	8.17	SD92	1.16	7.80	SE44	0.17	8.55
NZ44	0.17	8.55	SD41	0.36	8.67	SD93	1.97	7.47	SE45	0.17	8.79
NZ45	0.17	10.00	SD42	0.17	8.73	SD94	0.28	8.45	SE46	0.17	8.58
NZ46	0.17		SD43	0.17	8.48	SD95	0.26	8.68	SE47	0.17	8.14
NZ50	0.17	8.11	SD44	0.32	8.05	SD96	0.36	8.02	SE48	0.17	8.57
NZ51	0.17	8.36	SD45	0.38	8.18	SD97	0.17	7.52	SE49	0.17	8.65
NZ52	1.37	8.69	SD46	0.17	8.37	SD98	0.49	7.80	SE50	0.31	8.70
NZ53	0.17		SD47	0.28	8.16	SD99	0.17	7.86	SE51	0.17	8.73
NZ60	0.17	7.63	SD48	0.20	7.76	SE00	1.30	7.90	SE52	0.43	8.92
NZ61	0.29	8.03	SD49	0.49	7.11	SE01	2.04	7.90	SE53	0.17	8.68
NZ62	0.17	8.44	SD50	0.85	8.62	SE02	0.31	8.19	SE54	0.17	8.50
NZ70	0.17	7.88	SD51	0.49	8.55	SE03	1.33	7.92	SE55	0.17	8.41
NZ71	0.77	6.93	SD52	0.17	8.57	SE04	0.27	8.55	SE56	0.17	8.63
NZ72	0.17		SD53	0.26	8.54	SE05	0.93	8.34	SE57	0.26	8.57
NZ80	0.17	8.21	SD54	0.67	8.04	SE06	1.79	8.20	SE58	0.23	7.81
NZ81	0.17	7.83	SD55	0.34	7.66	SE07	1.14	8.07	SE59	0.17	8.05
NZ90	0.17	6.88	SD56	0.26	7.96	SE08	0.17	8.33	SE60	0.25	8.52
NZ91	0.17		SD57	0.60	8.22	SE09	0.17	7.74	SE61	0.63	8.90
SC16	0.17	7.70	SD58	0.37	7.51	SE10	1.84	8.49	SE62	0.33	8.88
SC17	0.17		SD59	1.09	7.37	SE11	0.24	8.35	SE63	0.17	7.95
SC26	0.17	8.23	SD60	0.69	8.15	SE12	0.17	8.34	SE64	0.17	8.12
SC27	0.23	7.28	SD61	3.18	8.29	SE13	0.26	8.40	SE65	0.17	7.89
SC28	0.17	7.83	SD62	0.67	8.05	SE14	0.48	8.06	SE66	0.17	7.67
SC36	0.17		SD63	0.62	8.26	SE15	2.11	7.74	SE67	0.17	8.45
SC37	0.17	7.60	SD64	0.17	7.73	SE16	1.03	8.12	SE68	0.17	8.26
SC38	0.77	6.74	SD65	0.17	7.38	SE17	1.19	8.27	SE69	0.17	7.70
SC39	0.17	7.68	SD66	0.17	7.62	SE18	0.26	8.17	SE70	0.28	8.41
SC47	0.17	8.02	SD67	0.17	7.77	SE19	0.17	7.58	SE71	0.40	8.31
SC48	0.33	7.03	SD68	0.17	7.65	SE20	1.26	8.44	SE72	0.23	8.66
SC49	0.17	7.89	SD69	0.34	7.08	SE21	0.47	8.48	SE73	0.17	8.83

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
SE74	0.17	8.26	SH54	0.36	7.47	SJ11	0.19	8.05	SJ64	0.25	8.36
SE75	0.17	8.98	SH55	2.43	6.82	SJ12	0.19	7.73	SJ65	0.21	8.37
SE76	0.17	8.59	SH56	1.19	7.71	SJ13	0.19	6.66	SJ66	0.85	8.67
SE77	0.43	8.43	SH57	0.24	7.78	SJ14	0.19	8.09	SJ67	1.45	8.59
SE78	0.17	8.30	SH58	0.19	7.51	SJ15	0.41	7.88	SJ68	0.35	8.32
SE79	0.17	7.93	SH59	0.19		SJ16	0.19	8.15	SJ69	0.65	8.21
SE80	0.17	8.47	SH60	0.19	7.81	SJ17	0.49	8.07	SJ70	0.47	8.72
SE81	0.17	8.49	SH61	0.36	7.21	SJ18	0.18	8.49	SJ71	0.42	9.03
SE82	0.17	8.61	SH62	0.61	6.48	SJ20	0.36	8.49	SJ72	1.05	8.65
SE83	0.17	8.18	SH63	4.62	7.11	SJ21	0.19	8.54	SJ73	0.32	8.26
SE84	0.17	8.49	SH64	1.40	6.99	SJ22	0.32	8.11	SJ74	0.73	8.74
SE85	0.17	8.47	SH65	1.85	6.26	SJ23	0.23	8.22	SJ75	0.35	8.44
SE86	0.17	8.60	SH66	0.96	6.60	SJ24	0.31	8.06	SJ76	0.37	8.83
SE87	0.17	8.74	SH67	0.22	7.90	SJ25	0.47	8.23	SJ77	1.03	8.26
SE88	0.17	8.72	SH68	0.19	9.44	SJ26	0.23	8.10	SJ78	1.13	8.38
SE89	0.17	7.55	SH70	0.52	7.17	SJ27	0.34	8.44	SJ79	0.17	8.86
SE90	0.91	8.25	SH71	0.72	6.99	SJ28	0.31	8.35	SJ80	0.84	8.70
SE91	0.17	8.54	SH72	0.31	6.55	SJ29	0.17	8.90	SJ81	0.97	8.78
SE92	0.72	8.88	SH73	1.17	6.64	SJ30	0.17	7.70	SJ82	0.31	8.71
SE93	0.17	8.38	SH74	1.03	6.69	SJ31	0.17	8.41	SJ83	0.30	8.80
SE94	0.17	8.92	SH75	1.08	6.59	SJ32	0.17	8.41	SJ84	0.34	8.51
SE95	0.17	9.75	SH76	2.59	6.86	SJ33	0.23	8.63	SJ85	0.71	7.89
SE96	0.17	8.75	SH77	0.19	7.89	SJ34	0.19	8.26	SJ86	0.17	8.43
SE97	0.17	8.53	SH78	0.19	8.63	SJ35	0.18	8.38	SJ87	1.11	8.07
SE98	0.17	8.69	SH80	0.19	7.81	SJ36	0.18	8.85	SJ88	0.17	8.20
SE99	0.17	7.82	SH81	0.19	7.97	SJ37	0.71	8.52	SJ89	0.26	8.53
SH12	0.19	7.67	SH82	0.28	7.16	SJ38	0.17	8.33	SJ90	0.22	8.80
SH13	0.19	7.73	SH83	1.58	7.59	SJ39	0.47	8.05	SJ91	0.42	8.54
SH22	0.19	7.52	SH84	3.77	6.89	SJ40	0.22	8.03	SJ92	0.17	8.78
SH23	0.19	7.36	SH85	0.38	6.70	SJ41	0.28	8.39	SJ93	0.17	7.82
SH24	0.19	7.84	SH86	0.19	7.12	SJ42	0.42	8.30	SJ94	0.17	8.51
SH27	0.19	7.03	SH87	0.19	7.57	SJ43	1.58	8.07	SJ95	1.41	8.08
SH28	0.19	7.84	SH88	0.63	8.63	SJ44	0.18	8.24	SJ96	1.04	8.12
SH29	0.19	7.00	SH90	0.30	7.23	SJ45	0.17	8.38	SJ97	0.89	8.05
SH32	0.19	7.38	SH91	0.29	6.85	SJ46	0.17	8.60	SJ98	0.43	8.15
SH33	0.19	7.37	SH92	3.82	7.18	SJ47	0.17	8.47	SJ99	1.36	7.82
SH34	0.19	7.81	SH93	2.64	7.30	SJ48	0.17	8.28	SK00	1.25	8.25
SH36	0.30	8.55	SH94	0.25	6.76	SJ49	0.67	8.48	SK01	0.22	8.51
SH37	1.70	7.97	SH95	6.56	6.92	SJ50	0.43	8.22	SK02	3.46	8.20
SH38	3.39	7.77	SH96	0.22	7.41	SJ51	0.37	8.64	SK03	0.17	8.02
SH39	0.70	7.78	SH97	0.32	8.26	SJ52	0.29	8.57	SK04	0.17	8.29
SH43	0.19	7.69	SH98	1.10		SJ53	0.70	7.89	SK05	0.17	7.91
SH44	0.32	7.14	SJ00	0.32	7.07	SJ54	1.11	8.39	SK06	0.17	7.18
SH45	0.19	7.33	SJ01	0.86	7.24	SJ55	0.54	8.52	SK07	1.20	8.13
SH46	0.19	8.47	SJ02	1.39	7.13	SJ56	0.76	8.29	SK08	0.56	8.61
SH47	1.24	7.88	SJ03	0.19	7.18	SJ57	0.17	8.34	SK09	2.41	7.61
SH48	1.46	7.49	SJ04	0.29	7.09	SJ58	0.98	9.07	SK10	0.76	8.92
SH49	0.79	7.57	SJ05	0.19	6.99	SJ59	0.36	8.27	SK11	0.29	8.88
SH50	0.19	7.46	SJ06	0.19	8.26	SJ60	0.17	8.47	SK12	0.22	8.86
SH51	0.19	7.63	SJ07	0.19	7.94	SJ61	0.37	8.95	SK13	0.25	8.74
SH52	0.19	7.79	SJ08	0.42	8.45	SJ62	0.17	8.57	SK14	0.17	8.31
SH53	0.19	7.85	SJ10	0.26	8.12	SJ63	0.39	8.78	SK15	0.17	8.64

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
SK16	0.17	8.51	SK68	1.02	8.82	SN10	0.19	8.22	SN76	0.92	6.74
SK17	0.17	8.29	SK69	0.17	8.23	SN11	0.19	7.94	SN77	0.75	6.57
SK18	2.35	8.39	SK70	0.17	8.78	SN12	0.19	7.43	SN78	3.53	6.00
SK19	1.77	7.25	SK71	0.29	9.01	SN13	0.19	7.05	SN79	0.62	7.11
SK20	0.52	8.81	SK72	0.17	8.88	SN14	0.19	7.88	SN80	0.19	8.28
SK21	0.25	8.82	SK73	0.17	8.93	SN15	0.19	7.61	SN81	0.19	7.57
SK22	0.86	8.61	SK74	1.49	8.57	SN20	0.19	8.44	SN82	2.43	7.33
SK23	0.25	8.76	SK75	0.98	8.77	SN21	0.19	8.62	SN83	0.19	7.69
SK24	0.49	8.51	SK76	0.17	8.63	SN22	0.19	7.90	SN84	0.66	7.08
SK25	3.38	8.53	SK77	0.17	8.90	SN23	0.19	7.82	SN85	1.61	7.15
SK26	0.17	8.37	SK78	0.79	8.76	SN24	0.19	7.46	SN86	3.61	5.66
SK27	0.42	7.89	SK79	0.17	8.35	SN25	0.19	8.25	SN87	0.82	5.81
SK28	1.19	8.36	SK80	5.48	8.82	SN30	0.19	8.44	SN88	1.05	6.55
SK29	2.88	7.09	SK81	0.19	8.94	SN31	0.19	8.44	SN89	0.64	6.73
SK30	0.17	8.95	SK82	0.17	8.85	SN32	0.19	8.68	SN90	0.56	7.13
SK31	0.29	8.58	SK83	0.79	8.84	SN33	0.19	7.51	SN91	0.82	7.68
SK32	3.10	8.60	SK84	0.17	8.95	SN34	0.19	7.13	SN92	0.19	7.17
SK33	0.20	8.94	SK85	0.30	8.57	SN35	0.19	7.01	SN93	0.19	7.79
SK34	0.37	8.70	SK86	0.89	8.57	SN36	0.19	7.33	SN94	0.19	7.47
SK35	0.52	8.92	SK87	0.98	8.44	SN40	0.35	8.02	SN95	0.19	7.35
SK36	0.73	7.99	SK88	0.17	8.89	SN41	0.19	8.27	SN96	3.06	7.48
SK37	0.40	8.44	SK89	0.17	8.23	SN42	0.19	7.70	SN97	0.23	7.18
SK38	0.17	8.46	SK90	7.75	8.70	SN43	0.19	7.30	SN98	1.78	7.30
SK39	0.29	7.96	SK91	0.34	8.93	SN44	0.19	7.62	SN99	0.19	7.35
SK40	0.51	8.71	SK92	0.17	8.72	SN45	0.19	7.25	SO00	0.40	8.38
SK41	0.56	8.43	SK93	0.17	8.66	SN46	0.19	6.94	SO01	2.99	7.77
SK42	0.53	8.65	SK94	0.35	8.83	SN50	0.52	8.03	SO02	0.19	8.26
SK43	0.67	8.92	SK95	0.17	9.17	SN51	0.24	7.68	SO03	0.19	7.92
SK44	0.56	8.87	SK96	2.25	8.32	SN52	0.19	8.19	SO04	0.19	7.62
SK45	0.23	8.80	SK97	0.74	8.30	SN53	0.19	7.16	SO05	0.19	7.59
SK46	0.33	8.29	SK98	0.30	8.59	SN54	0.31	7.77	SO06	0.24	7.75
SK47	0.46	8.82	SK99	0.29	8.94	SN55	0.20	7.46	SO07	0.19	7.64
SK48	1.15	8.52	SM62	0.19		SN56	0.19	7.28	SO08	0.19	7.63
SK49	0.47	8.58	SM70	0.19	7.63	SN57	0.19	7.66	SO09	0.52	6.87
SK50	0.33	8.93	SM71	0.19		SN58	0.19	7.91	SO10	0.42	7.43
SK51	1.59	8.40	SM72	0.19	7.52	SN59	0.19	8.42	SO11	0.99	8.16
SK52	0.17	8.81	SM73	0.19	10.00	SN60	0.52	8.05	SO12	1.80	8.50
SK53	2.18	8.99	SM80	0.28	8.19	SN61	0.19	7.80	SO13	0.19	8.21
SK54	0.17	8.61	SM81	0.19	8.05	SN62	0.19	7.90	SO14	0.27	7.79
SK55	0.76	8.48	SM82	0.19	7.71	SN63	0.34	7.78	SO15	0.19	7.81
SK56	0.17	8.46	SM83	0.19	7.55	SN64	0.19	7.32	SO16	0.19	7.74
SK57	1.29	8.88	SM84	0.19		SN65	0.28	7.14	SO17	0.19	7.38
SK58	0.40	8.64	SM90	0.19	8.08	SN66	0.35	6.79	SO18	0.18	7.58
SK59	0.29	8.88	SM91	0.19	8.30	SN67	0.33	6.98	SO19	0.19	8.24
SK60	0.21	8.97	SM92	0.19	7.68	SN68	0.19	7.51	SO20	0.24	7.58
SK61	0.73	8.81	SM93	0.19	7.92	SN69	0.19	7.64	SO21	0.19	8.22
SK62	0.17	8.74	SM94	0.19		SN70	0.19	7.62	SO22	0.19	7.94
SK63	1.48	9.17	SN00	0.19	8.08	SN71	0.19	7.50	SO23	0.26	8.39
SK64	0.62	8.79	SN01	0.19	8.03	SN72	0.19	7.40	SO24	0.17	8.34
SK65	0.25	8.49	SN02	1.49	7.38	SN73	0.19	8.48	SO25	0.18	7.77
SK66	0.26	8.72	SN03	0.19	7.67	SN74	0.91	7.38	SO26	0.19	8.24
SK67	0.96	8.48	SN04	0.19	7.93	SN75	0.50	6.16	SO27	0.18	7.71

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
SO28	0.17	7.89	SO80	0.35	8.71	SP32	0.17	8.67	SP84	1.76	8.97
SO29	0.28	7.98	SO81	0.17	9.32	SP33	0.17	8.65	SP85	0.39	8.80
SO30	0.85	8.25	SO82	0.17	8.85	SP34	0.17	8.65	SP86	1.76	8.93
SO31	0.19	8.66	SO83	0.21	8.86	SP35	0.37	8.96	SP87	0.66	8.71
SO32	0.18	7.83	SO84	0.55	8.53	SP36	0.17	8.94	SP88	0.17	8.72
SO33	0.17	8.29	SO85	0.22	8.67	SP37	0.78	8.74	SP89	1.72	8.86
SO34	0.17	8.09	SO86	0.55	8.58	SP38	0.17	8.52	SP90	0.17	8.83
SO35	0.24	8.46	SO87	0.60	8.37	SP39	0.35	8.79	SP91	0.98	8.97
SO36	0.26	8.10	SO88	0.17	8.61	SP40	2.54	8.56	SP92	0.27	8.56
SO37	0.17	8.28	SO89	0.49	8.47	SP41	0.79	8.75	SP93	0.78	8.42
SO38	0.36	8.17	SO90	0.17	8.67	SP42	0.17	8.86	SP94	0.17	8.69
SO39	0.17	7.45	SO91	0.49	8.72	SP43	0.17	8.80	SP95	0.46	8.61
SO40	0.19	8.22	SO92	0.17	8.66	SP44	0.27	9.11	SP96	0.83	8.69
SO41	0.18	8.56	SO93	0.17	8.92	SP45	0.56	8.84	SP97	1.47	9.04
SO42	0.17	8.43	SO94	0.17	8.78	SP46	1.40	8.86	SP98	0.24	8.81
SO43	0.17	8.95	SO95	0.17	8.75	SP47	1.32	8.74	SP99	0.60	8.80
SO44	0.17	8.53	SO96	0.33	8.68	SP48	0.17	8.73	SR89	0.19	8.54
SO45	0.17	8.67	SO97	0.17	8.52	SP49	0.17	8.96	SR99	1.05	8.41
SO46	0.17	8.29	SO98	0.28	8.36	SP50	0.17	8.65	SS09	0.19	8.75
SO47	0.25	8.48	SO99	0.17	8.50	SP51	0.17	8.61	SS10	0.17	7.94
SO48	0.17	8.72	SP00	0.22	8.68	SP52	0.17	8.53	SS11	0.17	
SO49	0.17	7.89	SP01	0.17	8.64	SP53	0.17	9.05	SS14	0.17	7.71
SO50	0.17	8.23	SP02	0.17	8.49	SP54	0.17	8.99	SS19	0.19	8.17
SO51	0.17	8.35	SP03	0.17	8.84	SP55	0.38	8.95	SS20	0.17	8.35
SO52	0.17	8.80	SP04	0.17	8.87	SP56	0.75	9.01	SS21	0.78	7.63
SO53	0.17	8.75	SP05	0.25	8.93	SP57	0.17	8.90	SS22	0.17	7.70
SO54	0.17	8.88	SP06	0.44	8.55	SP58	0.30	8.75	SS30	0.17	7.94
SO55	0.17	8.80	SP07	0.85	8.27	SP59	0.17	9.12	SS31	0.17	7.72
SO56	0.21	8.54	SP08	1.04	8.60	SP60	0.17	8.93	SS32	0.17	7.82
SO57	0.17	8.15	SP09	0.47	8.32	SP61	0.36	8.82	SS38	0.19	
SO58	0.17	8.27	SP10	0.50	9.05	SP62	0.63	9.05	SS39	0.19	
SO59	0.17	8.37	SP11	0.22	8.71	SP63	0.27	8.92	SS40	0.17	7.63
SO60	0.22	8.49	SP12	0.48	8.42	SP64	0.17	8.92	SS41	0.17	7.79
SO61	0.24	8.16	SP13	0.20	8.24	SP65	0.17	8.99	SS42	0.24	8.30
SO62	0.26	8.80	SP14	0.17	8.86	SP66	0.17	8.90	SS43	0.22	8.21
SO63	0.17	8.63	SP15	0.17	8.72	SP67	1.56	8.90	SS44	0.17	8.23
SO64	0.17	8.79	SP16	0.31	8.74	SP68	0.89	9.00	SS48	0.19	8.29
SO65	0.17	8.88	SP17	0.42	8.50	SP69	0.32	8.97	SS49	0.19	7.88
SO66	0.29	8.43	SP18	0.32	8.31	SP70	0.17	8.82	SS50	0.17	7.77
SO67	0.17	8.08	SP19	0.54	8.32	SP71	0.17	8.88	SS51	0.17	7.72
SO68	0.17	7.48	SP20	0.61	9.04	SP72	0.17	9.17	SS52	0.18	8.33
SO69	0.24	7.22	SP21	0.17	8.96	SP73	0.61	8.99	SS53	0.17	8.60
SO70	0.62	9.11	SP22	0.20	8.69	SP74	0.36	9.02	SS54	0.28	8.77
SO71	0.17	8.77	SP23	0.17	8.10	SP75	0.32	8.95	SS58	0.19	8.32
SO72	0.17	8.78	SP24	0.17	8.56	SP76	2.17	9.07	SS59	0.19	7.53
SO73	0.35	8.52	SP25	0.17	8.67	SP77	1.76	8.85	SS60	0.17	7.96
SO74	0.18	8.80	SP26	0.31	8.69	SP78	0.17	9.04	SS61	0.17	7.88
SO75	0.17	8.51	SP27	0.17	8.35	SP79	0.17	9.05	SS62	0.17	7.91
SO76	0.37	8.61	SP28	1.16	8.27	SP80	0.33	8.61	SS63	0.17	7.67
SO77	0.33	8.74	SP29	1.28	8.78	SP81	0.32	9.04	SS64	0.39	8.04
SO78	0.88	8.49	SP30	1.22	8.92	SP82	0.17	8.69	SS68	0.19	8.06
SO79	0.21	9.04	SP31	0.21	8.84	SP83	0.26	9.06	SS69	0.27	7.75

10 km square	% area water	Mean TRS
SS70	0.17	8.18
SS71	0.17	7.22
SS72	0.17	7.92
SS73	0.18	7.07
SS74	0.18	7.21
SS75	0.17	
SS77	0.19	9.00
SS78	3.76	8.36
SS79	0.28	8.22
SS80	0.17	8.53
SS81	0.17	7.80
SS82	0.17	7.73
SS83	0.17	7.13
SS84	0.25	7.62
SS87	0.19	8.61
SS88	0.19	8.29
SS89	0.19	7.86
SS90	0.17	8.43
SS91	0.17	8.37
SS92	0.87	7.87
SS93	1.60	8.09
SS94	0.17	8.35
SS96	0.19	8.69
SS97	0.19	8.56
SS98	0.19	7.65
SS99	0.19	7.69
ST00	0.17	7.85
ST01	0.17	8.46
ST02	0.17	8.46
ST03	1.01	7.57
ST04	0.17	8.67
ST06	0.39	8.79
ST07	0.33	8.10
ST08	0.19	8.38
ST09	0.19	7.93
ST10	0.17	8.08
ST11	0.17	7.92
ST12	0.17	8.52
ST13	0.17	8.06
ST14	0.17	8.04
ST16	0.86	8.98
ST17	0.40	8.93
ST18	0.49	7.61
ST19	0.19	8.21
ST20	0.17	8.25
ST21	0.25	8.33
ST22	0.17	8.98
ST23	0.64	9.03
ST24	0.17	9.24
ST25	0.17	8.90
ST26	0.18	
ST27	0.19	8.90

10 km square	% area water	Mean TRS
ST28	0.33	8.73
ST29	0.26	8.37
ST30	0.29	8.57
ST31	0.23	8.47
ST32	0.17	8.81
ST33	0.17	8.85
ST34	0.40	8.82
ST35	0.17	8.97
ST36	0.17	8.98
ST37	0.17	9.75
ST38	0.58	8.78
ST39	1.69	8.69
ST40	0.17	8.09
ST41	0.17	8.63
ST42	0.17	8.81
ST43	0.17	8.17
ST44	0.17	8.24
ST45	1.12	8.86
ST46	0.17	8.93
ST47	0.18	8.44
ST48	0.19	9.00
ST49	0.35	8.52
ST50	0.31	8.91
ST51	0.85	9.05
ST52	0.17	8.65
ST53	0.17	8.89
ST54	0.17	8.99
ST55	4.08	8.33
ST56	2.65	8.38
ST57	0.28	8.71
ST58	0.17	8.86
ST59	0.18	8.34
ST60	0.17	8.33
ST61	0.49	8.64
ST62	0.21	8.54
ST63	0.20	8.77
ST64	0.17	8.49
ST65	0.17	8.59
ST66	0.17	8.72
ST67	0.17	8.69
ST68	0.17	8.63
ST69	0.48	8.57
ST70	0.17	8.69
ST71	0.17	8.84
ST72	0.17	8.71
ST73	0.46	8.52
ST74	0.27	8.53
ST75	0.30	8.70
ST76	0.17	8.93
ST77	0.17	8.96
ST78	0.17	8.53
ST79	0.17	8.36

10 km square	% area water	Mean TRS
ST80	0.17	8.54
ST81	0.17	8.74
ST82	0.17	8.69
ST83	0.17	8.67
ST84	0.70	8.63
ST85	0.17	8.79
ST86	0.17	8.72
ST87	0.24	8.76
ST88	0.17	8.53
ST89	0.17	8.47
ST90	0.31	8.51
ST91	0.17	8.56
ST92	0.31	8.67
ST93	0.61	8.75
ST94	0.17	8.86
ST95	0.17	8.72
ST96	0.30	8.83
ST97	0.20	8.70
ST98	0.33	8.70
ST99	0.17	8.58
SU00	0.19	8.06
SU01	0.17	8.48
SU02	0.17	8.80
SU03	0.32	8.74
SU04	0.17	8.45
SU05	0.17	8.57
SU06	0.17	9.07
SU07	0.17	8.85
SU08	0.27	8.77
SU09	6.12	8.71
SU10	1.32	7.96
SU11	0.27	8.27
SU12	0.17	8.95
SU13	0.17	8.84
SU14	0.17	8.73
SU15	0.17	8.99
SU16	0.17	8.66
SU17	0.17	8.79
SU18	0.39	8.86
SU19	1.19	8.88
SU20	0.17	7.48
SU21	0.17	7.52
SU22	0.31	8.36
SU23	0.17	8.77
SU24	0.17	8.96
SU25	0.17	7.90
SU26	0.17	8.54
SU27	0.17	8.61
SU28	0.17	9.04
SU29	0.31	8.95
SU30	0.33	7.54
SU31	0.40	8.39

10 km square	% area water	Mean TRS
SU32	0.33	8.57
SU33	0.22	8.67
SU34	0.17	8.77
SU35	0.17	8.06
SU36	0.17	8.40
SU37	0.17	8.73
SU38	0.17	9.06
SU39	0.17	8.88
SU40	0.35	7.90
SU41	0.21	8.56
SU42	0.24	8.53
SU43	0.17	8.78
SU44	0.26	8.41
SU45	0.18	8.97
SU46	0.46	8.37
SU47	0.17	8.35
SU48	0.17	8.89
SU49	0.22	8.67
SU50	0.25	8.56
SU51	0.17	8.44
SU52	0.17	8.81
SU53	0.32	8.57
SU54	0.19	8.91
SU55	0.32	8.53
SU56	0.47	8.45
SU57	0.17	8.35
SU58	0.17	9.14
SU59	1.36	8.60
SU60	0.42	8.78
SU61	0.17	8.41
SU62	0.17	8.57
SU63	0.18	8.53
SU64	0.17	8.55
SU65	0.17	8.57
SU66	0.83	8.20
SU67	2.03	8.90
SU68	0.17	8.60
SU69	0.17	8.99
SU70	0.72	8.54
SU71	0.17	8.28
SU72	0.29	8.47
SU73	0.35	7.96
SU74	0.17	8.44
SU75	0.40	8.00
SU76	0.47	8.26
SU77	2.37	8.55
SU78	0.17	8.75
SU79	0.17	9.25
SU80	1.20	8.55
SU81	0.17	8.75
SU82	0.33	8.16
SU83	0.38	8.14

10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS	10 km square	% area water	Mean TRS
SU84	0.67	7.99	SX07	0.17	8.06	SX94	0.17		TA01	0.17	8.75
SU85	1.30	8.00	SX08	0.17	8.50	SX95	0.17	8.60	TA02	2.10	8.91
SU86	0.85	8.13	SX09	0.17		SX96	0.17	8.35	TA03	0.17	8.82
SU87	0.17	8.74	SX14	0.17	7.38	SX97	0.17	8.69	TA04	0.44	8.47
SU88	1.17	8.80	SX15	0.17	8.54	SX98	0.17	8.61	TA05	0.17	8.56
SU89	0.17	8.66	SX16	0.17	7.94	SX99	0.17	8.64	TA06	0.17	9.03
SU90	0.17	8.78	SX17	3.74	7.18	SY07	0.17	8.65	TA07	0.17	8.27
SU91	0.57	8.67	SX18	0.78	7.40	SY08	0.22	7.95	TA08	0.29	8.41
SU92	0.61	8.39	SX19	0.17	8.23	SY09	0.17	7.88	TA09	0.17	8.43
SU93	0.47	7.99	SX25	0.17	8.69	SY18	0.17	8.43	TA10	0.17	8.73
SU94	0.40	8.09	SX26	0.17	8.15	SY19	0.17	8.25	TA11	0.54	8.92
SU95	0.17	7.92	SX27	0.81	6.62	SY28	0.17	8.63	TA12	0.41	9.00
SU96	0.99	8.20	SX28	0.17	7.72	SY29	0.17	8.45	TA13	0.42	9.14
SU97	0.69	8.48	SX29	0.17	7.73	SY38	0.17		TA14	1.29	8.58
SU98	0.40	8.24	SX35	0.17	8.26	SY39	0.17	8.14	TA15	0.17	8.60
SU99	0.17	8.50	SX36	0.17	8.16	SY48	0.17	8.23	TA16	0.17	8.50
SW32	0.17	7.58	SX37	0.17	7.89	SY49	0.17	8.57	TA17	0.17	8.37
SW33	0.17	7.92	SX38	0.17	8.25	SY58	0.42	8.34	TA18	0.17	
SW42	0.72	7.52	SX39	0.19	7.97	SY59	0.17	8.00	TA20	0.17	8.80
SW43	0.17	7.69	SX44	0.17	8.88	SY66	0.17	8.72	TA21	0.27	9.10
SW44	0.17		SX45	0.22	8.25	SY67	0.65	8.87	TA22	0.30	8.32
SW52	0.17	8.36	SX46	0.40	8.53	SY68	0.33	8.91	TA23	0.17	8.88
SW53	0.17	7.77	SX47	0.21	7.83	SY69	0.17	8.88	TA24	0.18	8.64
SW54	0.17	8.25	SX48	0.18	7.84	SY77	0.17	9.63	TA25	0.17	
SW61	0.17	7.78	SX49	2.78	7.89	SY78	0.17	7.75	TA26	0.17	7.25
SW62	0.95	8.54	SX54	0.17	8.43	SY79	0.17	8.73	TA27	0.17	8.50
SW63	0.25	7.33	SX55	0.25	8.03	SY87	0.17	8.61	TA30	0.17	8.69
SW64	0.17	8.18	SX56	0.80	7.92	SY88	0.17	8.08	TA31	0.17	9.39
SW65	0.17		SX57	0.17	7.43	SY89	0.17	7.91	TA32	0.17	8.88
SW71	0.17	7.80	SX58	0.17	7.53	SY97	0.17	8.15	TA33	0.17	
SW72	0.17	7.71	SX59	0.48	7.50	SY98	0.17	7.79	TA40	0.17	8.75
SW73	1.95	7.80	SX63	0.17	8.64	SY99	0.20	7.85	TA41	1.70	9.05
SW74	0.36	7.60	SX64	0.17	8.19	SZ07	0.17	8.59	TA42	0.17	
SW75	0.17	7.58	SX65	0.17	7.67	SZ08	1.37	7.36	TF00	0.79	8.71
SW76	0.17	9.25	SX66	0.42	6.85	SZ09	0.35	8.45	TF01	0.21	8.88
SW81	0.17	8.20	SX67	0.29	6.56	SZ19	0.24	8.17	TF02	0.38	8.58
SW82	0.17		SX68	0.46	7.38	SZ28	0.17		TF03	0.22	8.87
SW83	0.17	8.54	SX69	0.17	7.24	SZ29	0.22	7.54	TF04	0.29	8.69
SW84	0.17	8.10	SX73	0.17	8.27	SZ38	0.17	8.62	TF05	0.17	8.80
SW85	0.17	8.20	SX74	0.17	8.61	SZ39	0.80	7.71	TF06	0.17	8.52
SW86	0.55	8.13	SX75	0.17	6.89	SZ47	0.17	8.42	TF07	0.51	8.65
SW87	0.30	8.29	SX76	0.17	8.42	SZ48	0.17	8.63	TF08	0.34	9.22
SW93	0.17	8.11	SX77	0.17	7.29	SZ49	0.31	8.06	TF09	0.17	8.34
SW94	0.17	8.58	SX78	0.17	7.76	SZ57	0.17	8.12	TF10	1.92	8.66
SW95	0.36	7.96	SX79	0.17	7.81	SZ58	0.17	8.41	TF11	2.66	8.53
SW96	0.17	7.13	SX83	0.17		SZ59	0.29	8.46	TF12	0.17	8.73
SW97	0.17	8.44	SX84	2.38	8.47	SZ68	0.43	8.30	TF13	0.17	8.63
SW98	0.17		SX85	0.35	8.33	SZ69	0.39	8.42	TF14	0.17	8.71
SX03	0.17		SX86	0.17	8.50	SZ79	0.17	8.14	TF15	0.17	8.38
SX04	0.17	8.50	SX87	0.30	8.21	SZ89	0.32	8.89	TF16	0.39	8.46
SX05	0.28	8.39	SX88	0.86	8.19	SZ99	0.17		TF17	0.17	8.77
SX06	0.17	7.09	SX89	0.17	8.35	TA00	0.26	8.67	TF18	0.17	8.04

10 km square	% area water	Mean TRS
TF19	0.24	8.50
TF20	0.48	8.65
TF21	0.17	8.89
TF22	0.17	8.72
TF23	0.17	9.03
TF24	0.17	8.95
TF25	0.36	8.74
TF26	0.33	8.52
TF27	0.17	8.79
TF28	0.17	8.47
TF29	0.19	8.69
TF30	0.17	8.94
TF31	0.17	9.02
TF32	0.17	9.11
TF33	0.17	9.13
TF34	0.17	9.16
TF35	0.17	9.01
TF36	0.39	8.83
TF37	0.17	8.36
TF38	0.17	9.05
TF39	1.10	8.97
TF40	0.17	8.87
TF41	0.17	9.19
TF42	0.17	9.22
TF43	0.17	7.25
TF44	0.17	8.95
TF45	0.17	9.23
TF46	0.17	8.89
TF47	0.17	8.87
TF48	0.17	8.83
TF49	0.17	8.89
TF50	0.17	9.13
TF51	0.17	9.21
TF52	0.17	9.19
TF55	0.17	8.97
TF56	0.17	9.11
TF57	0.17	9.13
TF58	0.17	9.07
TF60	0.40	8.90
TF61	1.09	8.41
TF62	0.17	8.10
TF63	0.37	8.98
TF64	0.17	9.10
TF70	0.17	8.18
TF71	0.73	8.29
TF72	0.17	7.82
TF73	0.17	8.89
TF74	0.36	9.02
TF80	0.17	8.75
TF81	0.17	9.01
TF82	0.28	8.50
TF83	0.17	8.84

10 km square	% area water	Mean TRS
TF84	0.40	9.01
TF90	0.39	8.72
TF91	0.17	8.51
TF92	0.70	8.71
TF93	0.17	8.75
TF94	0.17	9.21
TG00	0.35	8.54
TG01	0.79	8.65
TG02	0.17	8.60
TG03	0.25	8.21
TG04	0.39	8.72
TG10	0.22	8.89
TG11	0.57	8.37
TG12	0.58	8.76
TG13	0.17	8.83
TG14	0.17	8.00
TG20	0.17	8.68
TG21	0.17	8.72
TG22	0.31	8.12
TG23	0.37	8.65
TG24	0.17	8.09
TG30	0.73	8.50
TG31	1.44	8.41
TG32	0.74	8.19
TG33	0.17	8.87
TG40	0.76	8.38
TG41	2.15	8.18
TG42	3.28	8.14
TG50	1.02	8.59
TG51	0.17	9.14
TL00	0.17	8.68
TL01	0.17	8.31
TL02	0.25	8.57
TL03	0.17	8.35
TL04	1.18	8.97
TL05	0.17	8.77
TL06	0.17	8.85
TL07	0.28	8.92
TL08	0.28	8.94
TL09	0.56	8.78
TL10	0.31	8.74
TL11	0.38	8.90
TL12	0.17	8.52
TL13	0.33	8.68
TL14	0.29	8.94
TL15	0.53	8.76
TL16	7.34	8.95
TL17	0.17	8.76
TL18	0.17	8.93
TL19	2.14	8.83
TL20	0.20	8.76
TL21	0.31	8.64

10 km square	% area water	Mean TRS
TL22	0.17	8.56
TL23	0.17	9.07
TL24	0.17	8.54
TL25	0.17	8.71
TL26	0.70	9.01
TL27	0.47	8.89
TL28	0.17	8.39
TL29	0.42	8.69
TL30	2.13	8.47
TL31	0.47	8.63
TL32	0.17	8.95
TL33	0.17	8.82
TL34	0.17	8.82
TL35	0.17	8.86
TL36	0.79	8.88
TL37	1.34	8.96
TL38	0.17	8.99
TL39	0.17	8.87
TL40	0.17	8.44
TL41	0.21	8.81
TL42	0.17	8.66
TL43	0.17	8.95
TL44	0.17	8.93
TL45	0.17	8.78
TL46	0.73	9.01
TL47	0.17	8.73
TL48	0.36	8.69
TL49	0.17	8.83
TL50	0.17	8.67
TL51	0.25	8.52
TL52	0.17	8.83
TL53	0.32	8.75
TL54	0.17	8.94
TL55	0.17	8.73
TL56	0.17	8.44
TL57	0.17	8.54
TL58	0.41	9.06
TL59	0.17	8.99
TL60	0.17	8.96
TL61	0.17	9.01
TL62	0.17	8.84
TL63	0.17	8.97
TL64	0.17	9.02
TL65	0.17	8.83
TL66	0.17	8.50
TL67	0.17	9.09
TL68	0.17	8.97
TL69	0.17	9.06
TL70	0.17	8.53
TL71	0.47	9.11
TL72	0.38	8.99
TL73	0.17	8.96

10 km square	% area water	Mean TRS
TL74	0.17	9.17
TL75	0.17	8.76
TL76	0.17	8.90
TL77	0.17	8.67
TL78	0.17	8.38
TL79	0.37	8.97
TL80	0.52	8.85
TL81	0.17	8.98
TL82	0.17	8.86
TL83	0.17	8.81
TL84	0.17	8.70
TL85	0.17	8.84
TL86	0.25	8.87
TL87	0.48	8.85
TL88	0.19	8.77
TL89	0.38	8.49
TL90	0.52	9.11
TL91	5.24	8.77
TL92	0.17	8.95
TL93	0.33	9.04
TL94	0.17	8.85
TL95	0.17	8.66
TL96	0.17	8.79
TL97	0.26	8.59
TL98	0.36	8.41
TL99	0.45	8.38
TM00	0.17	9.07
TM01	0.17	9.09
TM02	1.12	8.89
TM03	0.17	8.70
TM04	0.17	8.86
TM05	0.17	8.85
TM06	0.17	8.70
TM07	0.33	8.38
TM08	0.17	8.50
TM09	0.17	8.30
TM11	0.37	9.01
TM12	0.17	8.75
TM13	2.25	8.82
TM14	0.17	8.98
TM15	0.28	8.88
TM16	0.17	8.97
TM17	0.17	8.57
TM18	0.17	8.99
TM19	0.17	8.26
TM21	0.17	9.09
TM22	0.31	9.21
TM23	0.62	8.90
TM24	0.17	8.48
TM25	0.17	8.77
TM26	0.17	8.79
TM27	0.17	8.58

10 km square	% area water	Mean TRS
TM28	0.55	8.92
TM29	0.17	8.72
TM33	0.17	8.98
TM34	0.17	8.76
TM35	0.17	8.77
TM36	0.17	8.84
TM37	0.17	8.99
TM38	0.17	8.76
TM39	0.17	8.56
TM44	0.17	9.26
TM45	0.45	8.94
TM46	0.52	8.16
TM47	0.17	8.36
TM48	0.17	8.72
TM49	0.39	8.27
TM57	0.53	9.10
TM58	0.29	8.79
TM59	0.50	8.53
TQ00	0.17	8.77
TQ01	0.17	8.32
TQ02	0.22	8.60
TQ03	0.42	8.49
TQ04	0.17	8.46
TQ05	0.58	8.39
TQ06	6.70	8.53
TQ07	9.35	8.81
TQ08	1.75	8.65
TQ09	1.60	8.67
TQ10	0.17	8.74
TQ11	0.17	8.84
TQ12	0.36	8.41
TQ13	0.27	8.33
TQ14	0.24	8.13
TQ15	0.17	8.38
TQ16	3.10	8.38
TQ17	0.91	8.37
TQ18	0.17	8.96
TQ19	0.94	8.57
TQ20	0.17	9.09
TQ21	0.17	8.54
TQ22	0.72	8.20
TQ23	0.24	8.26
TQ24	0.17	8.69
TQ25	0.35	8.31
TQ26	0.17	8.60
TQ27	0.81	8.21
TQ28	0.28	8.87
TQ29	0.17	8.34
TQ30	0.17	8.68
TQ31	0.17	8.66
TQ32	1.07	7.95
TQ33	1.25	8.43

10 km square	% area water	Mean TRS
TQ34	0.39	8.35
TQ35	0.24	8.67
TQ36	0.17	8.61
TQ37	0.17	8.53
TQ38	1.36	8.74
TQ39	3.36	8.66
TQ40	0.25	8.67
TQ41	0.31	8.64
TQ42	0.23	8.07
TQ43	0.64	8.21
TQ44	1.35	8.72
TQ45	0.27	8.80
TQ46	0.27	8.35
TQ47	0.27	8.78
TQ48	0.33	8.89
TQ49	0.17	8.28
TQ50	0.58	8.54
TQ51	0.17	8.38
TQ52	0.19	8.04
TQ53	0.28	8.14
TQ54	0.31	8.44
TQ55	0.74	8.44
TQ56	0.40	8.58
TQ57	0.49	8.66
TQ58	0.58	8.86
TQ59	0.17	8.62
TQ60	0.30	8.67
TQ61	0.23	8.30
TQ62	0.32	8.19
TQ63	3.40	8.05
TQ64	0.31	8.42
TQ65	0.21	8.70
TQ66	0.37	8.62
TQ67	0.78	8.72
TQ68	0.45	8.99
TQ69	0.17	8.63
TQ70	0.17	8.52
TQ71	0.29	8.36
TQ72	0.85	8.49
TQ73	0.35	8.02
TQ74	0.17	8.58
TQ75	0.59	8.78
TQ76	0.67	8.82
TQ77	2.28	8.87
TQ78	0.34	8.83
TQ79	3.75	8.78
TQ80	0.17	10.00
TQ81	0.31	8.44
TQ82	0.17	8.66
TQ83	0.17	8.44
TQ84	0.17	8.23
TQ85	0.32	8.62

10 km square	% area water	Mean TRS
TQ86	0.69	9.03
TQ87	0.39	8.98
TQ88	0.17	8.78
TQ89	0.35	8.88
TQ91	3.21	8.78
TQ92	0.28	8.69
TQ93	0.17	8.44
TQ94	0.17	8.32
TQ95	0.17	8.55
TQ96	0.71	9.09
TQ97	0.17	9.07
TQ98	0.17	9.22
TQ99	0.17	8.95
TR01	4.50	8.48
TR02	0.36	8.75
TR03	0.17	8.77
TR04	0.33	8.38
TR05	0.41	8.39
TR06	0.23	8.70
TR07	0.17	8.79
TR08	0.17	
TR09	0.17	8.98
TR12	0.17	8.68
TR13	0.47	8.58
TR14	0.17	8.74
TR15	0.41	8.48
TR16	0.74	8.65
TR23	0.17	8.87
TR24	0.17	8.39
TR25	0.21	8.55
TR26	0.97	8.64
TR27	0.17	
TR33	0.17	
TR34	0.17	9.30
TR35	0.43	8.58
TR36	0.17	9.01
TR37	0.17	8.63
TR46	0.17	
TV49	0.17	
TV59	0.17	9.04
TV69	0.17	10.00