

**European Community Directive
on the Conservation of Natural Habitats
and of Wild Fauna and Flora
(92/43/EEC)**

**Fourth Report by the United Kingdom
under Article 17**

on the implementation of the Directive
from January 2013 to December 2018

Supporting documentation for the
conservation status assessment for the habitat:

H9130 - *Asperulo-Fagetum* beech forests

ENGLAND

IMPORTANT NOTE - PLEASE READ

- The information in this document is a country-level contribution to the UK Report on the conservation status of this habitat, submitted to the European Commission as part of the 2019 UK Reporting under Article 17 of the EU Habitats Directive.
- The 2019 Article 17 UK Approach document provides details on how this supporting information was used to produce the UK Report.
- The UK Report on the conservation status of this habitat is provided in a separate document.
- The reporting fields and options used are aligned to those set out in the European Commission guidance.
- Explanatory notes (where provided) by the country are included at the end. These provide an audit trail of relevant supporting information.
- Some of the reporting fields have been left blank because either: (i) there was insufficient information to complete the field; (ii) completion of the field was not obligatory; and/or (iii) the field was only relevant at UK-level (sections 10 Future prospects and 11 Conclusions).
- For technical reasons, the country-level future trends for Range, Area covered by habitat and Structure and functions are only available in a separate spreadsheet that contains all the country-level supporting information.
- The country-level reporting information for all habitats and species is also available in spreadsheet format.

Visit the JNCC website, <https://jncc.gov.uk/article17>, for further information on UK Article 17 reporting.

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

5.7 Short-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence interval
5.8 Short-term trend Method used	Based mainly on expert opinion with very limited data		
5.9 Long-term trend Period			
5.10 Long-term trend Direction			
5.11 Long-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence interval
5.12 Long-term trend Method used			
5.13 Favourable reference area	a) Area (km ²) b) Operator c) Unknown d) Method	No	
5.14 Change and reason for change in surface area of range	No change The change is mainly due to:		
5.15 Additional information			

6. Structure and functions

6.1 Condition of habitat	a) Area in good condition (km ²) b) Area in not-good condition (km ²) c) Area where condition is not known (km ²)	Minimum 12.8 Minimum 4.9 Minimum 92.3	Maximum 12.8 Maximum 4.9 Maximum 92.3
6.2 Condition of habitat Method used	Based mainly on extrapolation from a limited amount of data		
6.3 Short-term trend of habitat area in good condition Period	2007-2018		
6.4 Short-term trend of habitat area in good condition Direction	Stable (0)		
6.5 Short-term trend of habitat area in good condition Method used	Based mainly on extrapolation from a limited amount of data		
6.6 Typical species	Has the list of typical species changed in comparison to the previous reporting period? No		
6.7 Typical species Method used			
6.8 Additional information			

7. Main pressures and threats

7.1 Characterisation of pressures/threats

Pressure	Ranking
Removal of dead and dying trees, including debris (B07)	M
Removal of small landscape features for agricultural land parcel consolidation (hedges, stone walls, rushes, open ditches, springs, solitary trees, etc.) (A05)	M
Abandonment of traditional forest management (B04)	M
Mixed source air pollution, air-borne pollutants (J03)	H
Agricultural activities generating air pollution (A27)	M

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

Replanting with or introducing non-native or non-typical species (including new species and GMOs) (B03)	M
Management of fishing stocks and game (G08)	H
Other invasive alien species (other than species of Union concern) (I02)	H
Threat	Ranking
Removal of dead and dying trees, including debris (B07)	M
Abandonment of traditional forest management (B04)	M
Mixed source air pollution, air-borne pollutants (J03)	H
Agricultural activities generating air pollution (A27)	M
Droughts and decreases in precipitation due to climate change (N02)	M
Conversion from other land uses to housing, settlement or recreational areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F01)	H
Conversion from other land uses to commercial / industrial areas (excluding drainage and modification of coastline, estuary and coastal conditions) (F03)	H
Management of fishing stocks and game (G08)	M
Other invasive alien species (other than species of Union concern) (I02)	H

7.2 Sources of information

7.3 Additional information

8. Conservation measures

8.1 Status of measures

a) Are measures needed?	Yes
b) Indicate the status of measures	Measures identified and taken

8.2 Main purpose of the measures taken

Maintain the current range, population and/or habitat for the species

8.3 Location of the measures taken

Both inside and outside Natura 2000

8.4 Response to the measures

Medium-term results (within the next two reporting periods, 2019-2030)

8.5 List of main conservation measures

Restore small landscape features on agricultural land (CA02)

Adapt/manage reforestation and forest regeneration (CB04)

Reduce impact of mixed source pollution (CJ01)

Maintain existing traditional forest management and exploitation practices (CB02)

Reduce/eliminate air pollution from agricultural activities (CA12)

Implement climate change adaptation measures (CN02)

Manage conversion of land for construction and development of infrastructure (CF01)

Habitat restoration of areas impacted by residential, commercial, industrial and recreational infrastructure, operations and activities (CF02)

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

Reducing the impact of (re-) stocking for fishing and hunting, of artificial feeding and predator control (CG03)

Adapt/change forest management and exploitation practices (CB05)

8.6 Additional information

All SAC sites have IPENS and Site Nitrogen Action Plans (SNAPs)

9. Future prospects

9.1 Future prospects of parameters

- a) Range
- b) Area
- c) Structure and functions

9.2 Additional information

10. Conclusions

10.1. Range

10.2. Area

10.3. Specific structure and functions (incl. typical species)

10.4. Future prospects

10.5 Overall assessment of Conservation Status

10.6 Overall trend in Conservation Status

10.7 Change and reasons for change in conservation status and conservation status trend

- a) Overall assessment of conservation status

No change

The change is mainly due to:

- b) Overall trend in conservation status

No change

The change is mainly due to:

10.8 Additional information

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region)

- a) Minimum
- b) Maximum
- c) Best single value **31**

11.2 Type of estimate

Best estimate

11.3 Surface area of the habitat type inside the network Method used

Based mainly on extrapolation from a limited amount of data

11.4 Short-term trend of habitat area in good condition within the network Direction

Stable (0)

11.5 Short-term trend of habitat area in good condition within network Method used

Complete survey or a statistically robust estimate

11.6 Additional information

Report on the main results of the surveillance under Article 17 for Annex I habitat types (Annex D)

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

Distribution Map




Figure 1: UK distribution map for H9130 - *Asperulo-Fagetum* beech forests. Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The 10km grid square distribution map is based on available habitat records which are considered to be representative of the distribution within the current reporting period. For further details see the 2019 Article17 UK Approach document.

Range Map




Figure 2: UK range map for H9130 - *Asperulo-Fagetum* beech forests. Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The range map has been produced by applying a bespoke range mapping tool for Article 17 reporting (produced by JNCC) to the 10km grid square distribution map presented in Figure 1. The alpha value for this habitat was 25km. For further details see the 2019 Article 17 UK Approach document.

Explanatory Notes

Habitat code: 9130 Region code: ATL

Field label	Note
4.3 Short term trend; Direction	No evidence to suggest a change in trend direction since 2013 reporting round
5.1 Year or period	Previous report period to present
5.2 Surface area	No evidence for change since 2013 report
6.1 Condition of habitat	Figures taken from CSM data supplied from NE's CSMi dataset. Figures not felt to broadly represent the condition of the resource as a whole. Woodland is under-represented in the SSSI series (NE's SSSI series review 2016), and is generally undermanaged. Management effort focussed on maintaining or improving habitat condition inside protected sites is not reflected in effort outside the protected site series. The CSMi figures therefore probably overestimate the condition of the resource as a whole.
7.1 Characterisation of pressures/ threats	Threats: B04 Control of non-native plants and appropriate woodland management is encouraged by Government grants; A27 fertiliser and/or biocides spraydrift from agricultural activities causes nutrient enrichment and negative impacts on vegetation/fauna; B07, J03, I02 and N02: climate change, air pollution, the presence of problematic native and non-native species (including deer and grey squirrels) and the low volumes of deadwood are expected to continue to threaten the condition of this habitat; G08 The Deer Initiative project is expected to have a significant impact on deer populations over the next 4 years, which will reduce grazing and browsing pressure; F01, F03 development pressure threatens the condition of this habitat, particularly in the south east of England, and this threat is likely to increase.
7.1 Characterisation of pressures/ threats	Pressures: A05 Agricultural intensification and changes to land management have resulted in the loss of hedges, trees and small patches of scrub in fields, which increases fragmentation and isolation amongst the remaining woodlands; A27 fertiliser and/or biocides spraydrift from agricultural activities causes nutrient enrichment and negative impacts on vegetation/fauna; B03 inappropriate planting of conifers, removal of understorey, introduction of sycamore, rhododendron, cherry laurel, Turkey oak; B04 lack of management results in darker woods and a consequent loss of ground flora; B07 lack of dead wood has been highlighted across England woods by the FC National Forest Inventory survey; G08, I02 deer and grey squirrel populations are high in the range of this habitat, which has a negative impact on natural regeneration and survival of tree populations (CSM monitoring); J03 The CL threshold is exceeded throughout the range of this habitat.
8.1 Status of measures	Conservation measures have been identified through the HLF funded IPENS project which has identified the main activities required to achieve favourable conservation status. Remedies for the conservation measures, although identified, have not always been
9.1 Future prospects of parameters	Range not expected to change; area not expected to change; S&F very negative due to exceedance of N_CLs
11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network	Figure provided by G. Hinton (Natural England) from CSM analysis.